

A CATALOGUE
OF
THE MAMMALIA
IN
The Museum
OF
THE HON. EAST-INDIA COMPANY.



L O N D O N :
PRINTED BY J. & H. COX, 75, GREAT QUEEN STREET,
Printers to the Honourable East-India Company.

1851.

HAB. North-west Himalaya, *Blyth*.

A. Griffith's Collection, *Young*.

Mr. Gray thus describes this species :—"Fur long, soft, grey, varied with black; hairs lead-coloured above, flattened, pale brown, with a black tip. Face whitish; orbits black; whiskers very long, black; chin and beneath, white. Tail broad, rather tapering, fulvous, with black tips to the hairs at the base, black at the end. The feet broad; front thumb rudimentary. The outer edge of the hind feet with a broad tuft of hair; the soles of the hind feet with a small oblong tubercle on the middle of the outer side, a tubercle in front, and with two unequal ones on the hinder part of the inner side."

In the sixteenth volume of the *Journ. As. Soc. Beng.* p. 866, in his remarks on the Indian *Sciuri*, Mr. E. Blyth states that two specimens, one from Simla, are contained in the Museum of that Society.

Genus *ARCTOMYS*, *Schreb. et al.*

MURI Species, *Linn. et al.*

227. *ARCTOMYS BOBAC*, *Schreb., Sængth. p. 738.*

Arctomys himalayanus, *Hodgson, Journ. As. Soc. Beng. X. p. 777, with a figure. XII. p. 409* (potius *Tibetanus* hodie).

Arctomys caudatus, *Jacquemont, Voy. dans l'Inde, tome 4^{me}, Zool. p. 66.*

HAB. Tibet, *Capt. R. Strachey*. Tibet and the Himalayan Slopes, *Hodgson*.

A. B. Adult. From *Capt. R. Strachey's* Collection.

C. Young.

D. and E. Two flat Skins, not in good condition. Presented by *B. H. Hodgson, Esq.*

F. A Skin, imperfect. Presented by the Asiatic Society of Bengal.

In the twelfth volume of the *Journ. As. Soc. Beng.*, *B. H. Hodgson, Esq.*, gives a notice of two Marmots inhabiting, respectively, the plains of Tibet and the Himalayan slopes near the snows: 1. *A. tibetanus*; 2. *A. himalayanus*; with copious details of their structure and habits.

CAPROLAGUS, *Blyth*.C. hispidus, *Pearson, Sp.*....p. 148LAGOMYS, *G. Cur.*L. nipalensis, *Hodgs.* 148
— rufescens, *Gray*..... 149Fam. 4. JERBOIDÆ, *Gray*.ALACTAGA, *Fr. Cuv.*A. indica, *Gray* 149GERBILLUS, *Desm.*G. indicus, *Hardw., Sp.*..... 150
— erythrourus, *Gray*..... 150SCIURUS, *Linn.*S. Plantani, *Ljung* 151
— insignis, *F. Cuv.* 151
— sublineatus, *Waterhouse* 151
— McClellandii, *Horsf.*..... 151
— Palmarum, *Linn.* 152
— penicillatus, *Leach* 152
— nigrovittatus, *Horsf.*..... 152
— vittatus, *Raffles* 152
— subflaviventris, *McClell.* 152
— assamensis, *McClell.*..... 153
— Lokriah, *Hodgs.* 153
— Lokroides, *Hodgs.* 153
— tenuis, *Horsf.* 153
— atrodorsalis, *Gray* 154
— hippurus, *Isid. Geoffr.* ... 154
— Finlaysonii, *Horsf.* 154
— bicolor, *Sparm.* 155
— caniceps, *Gray* 155
— affinis, *Raffles* 156
— Keraudrenii, *Lesson* 156
— hypoleucus, *Horsf.* 156
— maximus, *Schreb.* 156
— Elphinstonii, *Sykes* 157
— macrourus, *Forster* 158
— vulgaris, *Linn.* 158
— chrysonotus, *Blyth* 159
— chinensis, *Gray* 159PTEROMYS, *Cuv.*P. Petaurista, *Pallas, Sp.* ... 159P. nobilis, *Gray, Sp.* p. 160
— caniceps, *Gray, Sp.* 160
— magnificus, *Hodgs., Sp.* 161
— melanotis, *Gray* 162
— nitidus, *Geoffr.* 162
— albiventer, *Gray* 162
— Pearsonii, *Gray* 162SCIUROPTERUS, *Fr. Cuv.*S. alboniger, *Hodgs.* 163
— genibarbis, *Horsf., Sp.*... 163
— lepidus, *Horsf., Sp.* 163
— fimbriatus, *Gray* 163ARCTOMYS, *Schreb.*A. Bobac, *Schreb.* 164RHIZOMYS, *Gray*.R. minor, *Gray* 165
— badius, *Hodgs.* 165

Order V. UNGULATA.

Fam. 1. BOVIDÆ, *Gray*.KEMAS, *Ham. Smith.*K. Hodgsoni, *Abel, Sp.*..... 166GAZELLA, *De Blainv.*G. Bennettii, *Sykes, Sp.*..... 166
— Cora, *Ham. Smith, Sp.* ... 166CERVICAPRA, *De Blainv.*C. bezoartica, *Aldras, Sp.* ... 167TETRACERUS, *Ham. Smith.*T. quadricornis, *De Blainv., Sp.* 167MADOGUA, *Ogilby.*M. Saltiana, *De Blainv., Sp.* 167ORYX, *Ham. Smith.*O. leucoryx, *Pallas, Sp.*..... 168CAPRICORNIS, *Ogilby.*C. bubalina, *Hodgs., Sp.* ... 168