



*Dictionnaire historique des membres de la
société linnéenne de Lyon
et des sociétés Physiophile de Lyon, d'études scientifiques de
Lyon, botanique de Lyon et d'anthropologie de Lyon réunies*

STEPHENS James Francis

Né le 16 septembre 1792, Londres (Shoreham-by-Sea, Wikipedia)

Décédé le 22 février 1852 (1853, catalogue Bnf), Londres.



J. F. Stephens (from a daguerreotype), plate V, Proc. Brit. Ent. Nat. Hist. Soc., 1976.

Biographie

Zoologiste. Entomologiste amateur.

1815–1826. Assure la parution des six derniers volumes de *General Zoology, or Systematic Natural History* (1800–1826) de George K. Shaw.

1818. Assistant de William E. Leach. Travaille sur les collections d'insectes du British Museum.

1819. Achat de la collection de Coléoptères britanniques de Marsham Thomas, un des fondateurs de la société linnéenne de Londres. Cette collection incorporée à celle de Stephens est actuellement au muséum de Londres.

Ne pas confondre avec Stephens, James (1880–1950), Romancier, poète et auteur de nouvelles.

Sources biographiques.

- Allemand Roland 1995. Identification et répartition des espèces françaises d'*Ischnomera* (Coleoptera Oedemeridae). *Bull. mens. Soc. linn. Lyon*, 1995, 64 (3) : 137–142.
- Anonyme 1850. Tableau de la Société linnéenne de Lyon en 1849. *Ann. Soc. Linn. Lyon*, années 1847–1849 : V–XIV. Membres correspondants, 1847. Stephens (James Francis), entomologiste à Londres, p. XII.
- Coulon Jacques 1992. Une remarquable station à Bembidions (*Coleoptera Trechidae*) dans le massif de la Grande Chartreuse (Savoie) et commentaires sur la présence d'*Ocydromus stephensi* Crotch, (Peryphanes). *Bull. mens. Soc. linn. Lyon*, 1992, 61 (2) : 37–38.
- Foote Yolanda 2004. Stephens, James Francis (1792–1852). *Oxford Dictionary of National Biography*.
- Heppner John 1982. Stephens James Francis p. 102. Dates of selected Lepidoptera literature for the western hemisphere fauna. *Journal of the Lepidopterists' Society*, 36 (2) : 87–111.
- Herbulot 1985. *Eupithecia pulcellata* Stephens (Lepidoptera, Geometrida) dans le département des Ardennes. *Bull. Soc. hist. nat. Ardennes*, 92e année, T. 675 : 37.
- MacKean Jarvis C. 1976. A history of the British Coleoptera. (The 1975 Presidential Address by C. MacKean Jarvis). *Proc. Brit. Ent. Nat. Hist. soc.*, 91–. Archive.org
- Mendel H. 1990. The identification of British *Ischnomera* Stephens (Coleoptera, Oedemeridae). *Entomologist's Gazette*, 41: 209–211.

Publications

- .1815. Birds. Vol. IX, Part I, vii–xiv, 1–228. *General Zoology, or Systematic Natural History*, commenced by the late George Shaw, engraved principally by Mrs Griffith, London. [Biodiversity Heritage Library BHL](#)
1816. Birds. Vol. IX, Part II., i–xx, 229–547. *General Zoology*, George K. Shaw, London. [BHL](#)
1817. Birds. Vol. X, Part I, v–xix, 1–317. Vol. X, Part. II, v–xxxi, 319–765. *General Zoology*, George K. Shaw, London. [BHL](#)
1819. Birds. Vol. XI, Part. I, i–xv, 1–264. *General Zoology*, George K. Shaw, London. [BHL](#)
1819. Birds. Vol. XI, Part. II, i–xxi, 265–646. *General Zoology*, George K. Shaw, London. [BHL](#)
1824. Birds. Vol. XII, Part. I, 1–297. *General Zoology*, George K. Shaw, London. [BHL](#)
1824. Birds. Vol. XII, Part. II, i–vi, 1–264. *General Zoology*, George K. Shaw, London. [BHL](#)
1826. Birds. Vol. XIII, Part. I, 1–278. *General Zoology*, George K. Shaw, London. [BHL](#)
1826. Birds. Vol. XIII, Part. II, 1–290. *General Zoology*, George K. Shaw, London. [BHL](#)

1826. Birds. Vol. XIV, Part. I, 1–385. *General Zoology*, George K. Shaw, London. [BHL](#)
1826. General index to the zoology, 1–334. *General Zoology*, George K. Shaw, London. [BHL](#)
- 1827a et suiv. *A systematical Catalogue of British Insects*. London.
- 1827b. *Illustrations of British entomology*; or, a synopsis of indigenous insects; containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata: Vol. 1 (1): iv + pp. 1–76, pls. 1–4. London, Baldwin & Cradock.
- .1828a. *Illustrations of British Entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food and economy, as far as practicable. Embellished with coloured figures of the rarer and more interesting species. Haustellata*, vol. I. Baldwin & Cradock, London, 150 p., 11 pl. [BHL](#)
- 1828b. *Illustrations of British Entomology. Mandibulata*, vol. I. Baldwin & Cradock, London, 1–184, pl. 1–9. [BHL](#)
- 1828c. *Illustrations of British entomology*; or, A synopsis of indigenous insects: containing their generic and specific distinctions. Baldwin & Cradock, London. Vol. 6 (Mandibulata 2): 1–112, pls. 10–13.
- 1828d. *Illustrations of British Entomology. Haustellata*, vol. I. London. Baldwin & Cradock, 1–150, pl. 1–12. [BHL](#)
- 1828e. *Illustrations of British Entomology. Haustellata*, vol. II. London. Baldwin & Cradock, 1–202, pl. 13–24. [BHL](#)
- .1829aa. *Illustrations of British Entomology. Haustellata*, vol. III. London. Baldwin & Cradock, 1–333, pl. 25–31. [BHL](#)
- 1829a. *The nomenclature of British insects: being a compendious list of such species as are contained in the systematic catalogue of British insects, and forming a guide to their classification*. London, Baldwin and Cradock, 68 pp. [BHL](#)
- 1829b. *A systematic catalogue of British insects*: being an attempt to arrange all the hitherto discovered indigenous insects in accordance with their natural affinities. Containing also the references to every English writer on entomology, and to the principal foreign authors. With all the published British genera to the present time. Baldwin and Cradock, London.: i–xxxiv, 1–416. 2 parts., 804 p. [BHL](#)
- 1829c. *Illustrations of British entomology*; or, a synopsis of indigenous insects. *Mandibulata*, Vol. 2: 113–200, pls. 14–15. Baldwin and Cradock, London. [BHL](#)
- 1829d. *Illustrations of British Entomology. Haustellata*, vol. II. Baldwin & Cradock, London, 202 p., pl. 13–24. [BHL](#)
- 1829e. *Illustrations of British Entomology. Mandibulata*, vol. II. Baldwin & Cradock, London, 1–200, pl. 9–15.
- 1829f. *Illustrations of British entomology. Haustellata*, vol. III. Baldwin & Cradock, London, 1–333, pl. 25–31.
- 1829–1831. *Illustrations of British Entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an*

- account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Haustellata 3. London. 338 pp.*
<https://biodiversitylibrary.org/page/30962782>
- 1830a. *Illustrations of British Entomology. Mandibulata*, vol. III. Baldwin & Cradock, London, 1–374, pl. 16–19.
- 1831a. *Illustrations of British Entomology. Mandibulata*, vol. IV. Baldwin & Cradock, London, 1–413, pl. 20–23.
- 1832a. *Illustrations of British Entomology. Mandibulata*, vol. V. Baldwin & Cradock, London, 1–447, pl. 24–27.
- 1832aa. *Illustrations of British entomology, or a synopsis of indigenous insects, containing their generic and specific distinctions, with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata*, Vol. 5. Baldwin & Cradock, London, 1–240, pls. 24–26.
- 1833a. *Illustrations of British entomology, or a synopsis of indigenous insects, containing their generic and specific distinctions, with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata*, Vol. 5. Baldwin & Cradock, London. pp. 241–304, pl. 27.
- .1834a. *Illustrations of British entomology. Haustellata*, vol. IV. Baldwin & Cradock, London, 1–434, pl. 33–40.
- 1834a. *Illustrations of British entomology; or, a synopsis of indigenous insects; containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata*, Vol. 5. Baldwin & Cradock, London. pp. 305–368.
- 1835a. *Illustrations of British entomology, or a synopsis of indigenous insects, containing their generic and specific distinctions, with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata*, Vol. 5. Baldwin & Cradock, London. pp. 369–477.
- 1835b. *Illustrations of British Entomology. Mandibulata*, vol. VI. Baldwin & Cradock, London, 1–228, pl. 28–34.
- 1835c. *Illustrations of British Entomology. hata*, vol. VII. Baldwin & Cradock, London, 1–310, pl. 35–40.
- .1839a. *A manual of British Coleoptera, or beetles; containing a brief description of all the species of beetles hitherto ascertained to inhabit Great Britain and Ireland. Introduction*, iii–vii. Authors quoted, ix–xii. Longman et al., London, v–vii, 1–443 p. [BHL](#)
- 1846a. *Illustrations of British entomology, or a synopsis of indigenous insects, containing their generic and specific distinctions, with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Supplement. London*, Henry G. Bohn, i–vi, 1–32, pl. 39–48.
- 1850a. *British zoology. Part 5. Lepidoptera.*
- 1852a. *List of the specimens of British animals in the collection of the British Museum. Part X. Lepidoptera (continued).* I–xiii, 1–120.

1852. *List of the specimens of British animals in the collection of the British Museum*. Part XII. Lepidoptera (continued). London, printed by order of the trustees, i–iv, 1–56, 1–252.
- 1854a. *List of the specimens of British animals in the collection of the British Museum*. Part XVI. Lepidoptera (Completed). London, printed by order of the trustees, 1–199.
- 1856 ! *List of the specimens of British animals in the collection of the British Museum*. Part V. *Lepidoptera*, by James Francis Stephens. [Introduction by John Edward Gray.] Édition revue par H. T. Stainton et Edwin. Shepherd Publication, the British museum, London, II–224 p. [BHL](#)

Affiliation à des Sociétés savantes

Société linnéenne de Lyon, membre correspondant, 1847.

Linnean society of London, membre 1815.

Zoological society of London.

Ressources en ligne

Acta Societatis Linneanae Lugdunensis Télé-bibliothèque « Stephens ».

<https://www.linneenne-lyon.org/spip3/spip.php?Article53>

Ouvrages de Stephens James Francis

<https://www.biodiversitylibrary.org/creator/1836#/title>

Rédacteur

Raymond Ramousse.

Journal des modifications :

24/12/2023 – RAMOUSSE Raymond : m.

14/07/2023 – RAMOUSSE Raymond : c

Citation

Ramousse Raymond 2019. Stephens James Francis (1792–1862). *Dictionnaire historique des membres de la société linnéenne de Lyon et des sociétés Physiophile de Lyon, d'études scientifiques de Lyon, botanique de Lyon et d'anthropologie de Lyon réunies*.

<https://www.linneenne-lyon.org/depot6/6-10607.pdf>

Veuillez nous aider à améliorer cette biographie en envoyant vos corrections, ajouts, suggestions et autres commentaires concernant M. Stephens J. F.
à Ramousse R., ramousser [à] free.fr ou secretariat [à] linneenne-lyon.org

ANNEXE

Quelques taxa dédiés et publiés

Les taxons en gras sont ceux admis par GBIF, (*Biodiversity Information Facility* ; <https://www.gbif.org>).

INPN (<https://inpn.mnhn.fr/>), taxon présent à l'Inventaire national du Patrimoine Naturel

L'Inventaire national du patrimoine naturel (INPN) est le portail de la biodiversité et de la géodiversité françaises, de métropole et d'outre-mer.

Taxons publiés

- Abdera** Stephens, 1832a. **INPN.** ; in Mulsant, 1856y, p. 239. ; 1856ya, p. 47.
= *Adobia* Mulsant, 1856. = *Carida* Mulsant, 1856. Genre. Coleoptera, Melandryidae.
- Abdera bifasciata* Stephens, 1832. = *Abdera bifasciata* Mulsant, 1856. = ***Abdera biflexuosa*** (Curtis, 1829). **INPN.** = *Abdera undata* Perris, 1852. = *Elater flexuosus* Olivier, 1790. Coleoptera, Melandryidae.
- Abdera scutellaris* Mulsant, 1856y, p. 242. = ***Wanachia triguttata*** (Gyllenhal, 1810). **INPN.** = *Abdera suturalis* Baudi, 1877.
- Acentria** Stephens, 1829. **INPN.** = *Acentropus* Curtis, 1834. = *Acentropus* Westwood, 1835. Genre. Lepidoptera, Crambidae.
- Acidota** Stephens, 1829a. **INPN.** ; in Mulsant, 1880a, p. 101. = *Helobium* Gistel, 1834. Genre. Coleoptera, Staphylinidae.
- Acosmetia** Stephens, 1829, p. 121. **INPN.** = *Hydrilla* Boisduval, 1840. Genre. Lepidoptera, Noctuidae.
- *Acosmetia lineola* Stephens, 1829, p. 123.
 - *Acrolocha sulculus* Stephens, in Mulsant, 1880a, p. 265.
- Actebia* Stephens, 1829, p. 20. **INPN.** = ***Dissimactebia*** Beck, 1991. Genre. Lepidoptera, Noctuidae.
- Actephilus* Stephens, 1833. = ***Harpalus*** Latreille, 1802. **INPN.** = *Acardystus* Reitter, 1908. = *Acthephilus* Reitter, 1900. = *Asmerinx* Reitter, 1899. = *Harpalobius* Reitter, 1900. = *Harpaloderus* Reitter, 1900. = *Harpaloxis* Reitter, 1900. = *Harpaloxys* Reitter, 1900. = *Lasioharpalus* Reitter, 1900. = *Loxophonus* Reitter, 1894. = *Anisochirus* Jeannel, 1946. = *Parhalus* Jeannel, 1946. = *Artabas* Gozis, 1882. = *Pardileus* Des Gozis, 1882. = *Amblystus* Motschoulsky, 1864. = *Bioderus* Motschoulsky, 1848. = *Conicus* Motschoulsky, 1844. = *Empeirus* Motschoulsky, 1844. = *Microderus* Motschoulsky, 1844. = *Ooistus* Motschoulsky, 1864. = *Pangus* Motschoulsky, 1859. = *Pheuginus* Motschoulsky, 1845. = *Platus* Motschoulsky, 1844. = *Holusus* Fischer von Waldheim, 1829. = *Proteonus* Fischer von Waldheim, 1829. = *Pseudophonus* Motschoulsky, 1848. Genre. Coleoptera, Carabidae.
- *Adelosia* Stephens, 1835. ; 1839a, p. 35. Douteux selon Gbif.
- Agathidium affine* Stephens, 1829c. = ***Agathidium (Agathidium) laevigatum*** subsp. ***laevigatum*** Erichson, 1845. **INPN.** = *Agathidium atrum* Stephens, 1829. = *Agathidium nigrinum* Stephens, 1829. = *Agathidium orbiculare* Stephens, 1829. Coleoptera, Leiodae.
- Agonum* Stephens, 1827. = *Agonithorax* Motschoulsky, 1850. = *Agonocyrrhes* Motschoulsky, 1864. = *Agonothorax* Motschoulsky, 1850. = *Olisares* Motschoulsky, 1864. = *Agonium* Solier, 1849. = ***Agonum*** Bonelli, 1810a. **INPN.** Genre. Coleoptera, Carabidae.
- Agonum cursitor* Stephens, 1828. = *Agonum inauratum* Mannerheim, 1825. = ***Agonum micans*** (Nicolai, 1822). **INPN.** = *Anchomenus micans* Nicolai, 1822. = *Europhilus micans* (Nicolai, 1822). Coleoptera, Carabidae.
- Aleochara acuminata* Stephens, 1832a. = ***Oxypoda acuminata*** (Stephens, 1832). **INPN.** Coleoptera, Staphylinidae.

- Aleochara admota* Stephens, 1832a. = ***Bolitochara admota*** (Stephens, 1832a). Staphylinidae.
- Aleochara agarici* Stephens, 1832. = ***Bolitochara agarici*** (Stephens, 1832).
- Aleochara agilis* Stephens, 1832a. = *Aleochara immaculata* Stephens, 1832a. = ***Aleochara bilineata*** Gyllenhal, 1810. INPN. = *Aleochara alpicola* Heer, 1839. Staphylinidae.
- Aleochara amicula* Stephens, 1832a. = *Homalota sericea* Mulsant et Rey, 1851k, p. 181. = ***Atheta amicula*** (Stephens, 1832). INPN. = *Microdota amicula* (Stephens, 1832). = *Microdota sericea* Mulsant & Rey, 1873. = *Microdota terricola* Mulsant & Rey, 1873. Staphylinidae.
- Aleochara angusta* Stephens, 1832.
- Aleochara antennata* Stephens, 1832a. = ***Atheta longicornis*** (Gravenhorst, 1802). INPN. Staphylinidae.
- Aleochara apicalis* Stephens, 1832a. = ***Amischa nigrofusca*** (Stephens, 1832). = *Aleochara nigro-fusca* Stephens, 1832a. = *Amischa arata* Mulsant & Rey, 1873. Staphylinidae.
- Aleochara assimilis* Stephens, 1832, *Atheta*
- Aleochara aterrima* Stephens, 1832. = *Thinonoma*
- Aleochara atriceps* Stephens, 1832, *Plataraea*
- Aleochara atricollis* Stephens, 1832. = *Bolitochara*
- Aleochara atricornis* Stephens, 1832. = *Atheta*
- Aleochara attenuata* Stephens, 1832, *Parocyusa*
- Aleochara basella* Stephens, 1832, *Hygronoma*
- Aleochara bimaculata* Stephens, 1832.
- Aleochara boleti* Stephens, 1832, *Amischa*
- Aleochara brachyptera* Stephens, 1832, *Oxypoda*
- Aleochara brassicae* Stephens, 1832. *Atheta* `
- Aleochara brevicornis* Stephens, 1832, *Oxypoda* [
- Aleochara brunniceps* Stephens, 1832, *Bolitochara* [
- Aleochara brunnipes* Stephens, 1832, *Acrotona*
- Aleochara caliginosa* Stephens, 1832, *Aloconota*
- Aleochara caliginosus* Stephens, 1832. = *Callicerus*
- Aleochara carbonaria* Stephens, 1832. = *Bolitochara*
- Aleochara brevicornis* Stephens, 1832. = ***Oxypoda brevicornis*** (Stephens, 1832). INPN. = *Oxypoda cuniculina* Erichson, 1837. = *Oxypoda* (*Podoxya*) *motschulskyi* Bernhauer & Scheerpeltz, 1926. Coleoptera, Staphylinidae.
- Aleochara castanipes* Stephens, 1832. = *Atheta*
- Aleochara celeris* Stephens, 1832,
- Aleochara cingulata* Stephens, 1832. = *Oxypoda*
- Aleochara cinnamomea* Stephens, 1832. = *Plataraea*
- Aleochara concinna* Stephens, 1832. = *Oxypoda*
- Aleochara concolor* Stephens, 1832.
- Aleochara consimilis* Stephens, 1832. = *Atheta*
- Aleochara consobrina* Stephens, 1832. = *Atheta*
- Aleochara corticalis* Stephens, 1832. = *Ischnoglossa*
- Aleochara crassicornis* Stephens, 1832. = *Homalota subalpina* Mulsant et Rey, 1851k, p. 157. = ***Liogluta granigera*** (Kiesenwetter, 1850). INPN.

= *Atheta granigera* (Kiesenwetter, 1850). = *Metaxya granigera* (Kiesenwetter). Coleoptera, Staphylinidae.

Aleochara cursor Stephens, 1832a. = *Aleochara scutellaris* P.H.Lucas, 1846b. = *Aleochara rufipes* Mulsant & Rey, 1853e, p. 50. = ***Aleochara moesta*** Gravenhorst, 1802. INPN. Coleoptera, Staphylinidae.

Aleochara cursor Stephens, 1832.

Aleochara curvipes Stephens, 1832. = *Nehemitropia*

Aleochara daltoni Stephens, 1832.

Aleochara dorsalis Stephens, 1832.

Aleochara dubia Stephens, 1832.

Aleochara elongata Stephens, 1832. = *Atheta*

Aleochara elongatula Stephens, 1832, *Halobrecta*

Aleochara emarginata Stephens, 1832. = *Oxypoda*

Aleochara erosa Stephens, 1832. = *Deinopsis*

Aleochara erythroceras Stephens, 1832a. = *Aleochara fulvicornis* Stephens, 1832. = *Crataraea insuturalis* Roubal, 1937c. = ***Crataraea suturalis*** (Mannerheim, 1830). INPN. = *Crataraea saturalis* (Mannerheim, 1830). = *Bolitochara suturalis* Mannerheim, 1830. = *Microglossa suturalis* (Mannerheim). Coleoptera, Staphylinidae.

Aleochara erythropha Stephens, 1832. = *Bolitochara*

Aleochara euryptera Stephens, 1832. = *Atheta Aleochara femorata* Stephens, 1832. = *Liogluta*

Aleochara fimetaria Stephens, 1832. = *Bolitochara*

Aleochara flavicollis Stephens, 1832. = *Bolitochara*

Aleochara foveola Stephens, 1832a. = *Homalota nigrina* Aubé, 1850a. = ***Atheta (Atheta) graminicola*** (Gravenhorst, 1806). INPN. = *Aleochara foveola* Stephens, 1832. Staphylinidae.

Aleochara foveatocollis Stephens, 1832. = *Atheta*

Aleochara foveolaria Stephens, 1832. = *Aloconota*

Aleochara foveolata Stephens, 1832. = *Amischa*

Aleochara frontalis Stephens, 1832. = *Tachyusa*.

Aleochara fulvicornis Stephens, 1832.

Aleochara fulvicornis Stephens, 1832. *Crataraea*

- *Aleochara fulvipes* Stephens, 1832.
- *Aleochara fuscicornis* Stephens, 1832.

Aleochara laticollis Stephens, 1832. = *Atheta laticollis* (Stephens, 1832). INPN. = *Microdota nana* Mulsant & Rey, 1876j, p. 233. = ***Atheta laticeps*** (C.G.Thomson, 1856). Coleoptera, Staphylinidae.

Alphitobius Stephens, 1829a. INPN. ; in Mulsant, 1854a, p. 234. = *Cryptops* Solier, 1851. = *Heterophaga* Dejean, 1834 = *Heterophaga* Ludwig Redtenbacher, 1845. = *Latrebiloium* Lepesme, 1943 = *Microphyes* MacLeay, 1872. Coleoptera, Tenebrionidae.

- *Amara* Stephens, 1827. Douteux selon Gbif. Genre. Coleoptera, Carabidae.

Amara atra Stephens, 1828. = ***Amara plebeja*** (Gyllenhal, 1810). = *Amara lapidicola* Heer, 1837. = *Amara varicolor* Heer, 1838. Coleoptera, Carabidae.

Amara aerata Stephens, 1828. = ***Amara (Amara) eurynota*** (Panzer, 1796). INPN. Coleoptera, Carabidae.

Amara laticollis Stephens, 1828. = ***Amara nitida*** Sturm, 1825. INPN. = *Amara imbella* Reitter, 1908. = *Amara sinuata* Motschulsky, 1844.

Amara obtusa Stephens, 1828. = ***Amara convexior*** Stephens, 1828. INPN. = *Amara continua* var. *convexior* Stephens.

Ampedus pomonae (Stephens, 1830). INPN. = *Elater pomonae* (Stephens, 1830). Coleoptera, Elateridae.

Ampedus rufipennis (Stephens, 1830). INPN. = *Elater rufipennis* Stephens, 1830. Coleoptera, Elateridae.

Amphimalla Stephens, 1830. = ***Amphimallon*** Latreille, 1825a. INPN. = *Amphimallina* Reitter, 1905. = *Amphimallus* Mulsant, 1842. = *Eriotrogus* Reitter, 1901. = *Madotrogus* Reitter, 1902. = *Microdontus* Blanchard, 1851. Genre. Coleoptera, Melolontidae.

Anaspis subtestacea Stephens, 1832 ; in Mulsant, 1856, p. 420. ; 1856yb, p. 116. = ***Anaspis lurida*** Stephens, 1832. INPN. = *Plesianaspis unicolor* Costa, 1854. Coleoptera, Scraptiidae.

Anchomenus Stephens, 1827. = ***Anchomenus*** Bonelli, 1810. INPN. = *Anchodemus* Motschoulsky, 1864. Coleoptera, Carabidae.

Anchylopera Stephens, 1829. ; 1834a, p. 109. = *Anticlea* Stephens, 1834, p. 113. = ***Ancylis*** Hübner, 1825. INPN. = *Philalcea* Stephens, 1835, p. 396. Genre. Lepidoptera, Tortricidae.

Anchylopera biarcuana Stephens, 1834a, p. 113. = ***Ancylis geminana*** (Donovan, 1806). INPN. = *Ancylis biarcuana* (Stephens, 1834). = *Ancylis fluctigerana* Herrich-Schäffer, 1848. = *Ancylis inornatana* Herrich-Schäffer, 1848. = *Ancylis inornatana* Herrich-Schäffer, 1848. = *Tortrix fluctigerana* Herrich-Schäffer, 1851. = *Tortrix inornatana* Herrich-Schäffer, 1851, p. 287.

- *Anchylopera funalana* Stephens, 1834a, p. 112.

Andrena longipes Smith, 1847. = ***Andrena bucephala*** Stephens, 1846. INPN. Coleoptera, Andrenidae.

Ania Stephens, 1831. = ***Idaea*** Treitschke, 1825. INPN. Lepidoptera, Geometridae.

Anisopteryx Stephens, 1829, p. 151. = ***Agriopsis*** Hübner, 1825. INPN. Lepidoptera, Geometridae.

Anobium erythropum Stephens, 1830. = *Anobium plumbeum* Redtenbacher, p. 566. *Faun. Austr.*, 2^e éd. et Illiger, 1801 = *Xestobium plumbeum* (Illiger, p. 87. Mag., I). In Mulsant & Rey, 1864, p. 417. = ***Hyperisus plumbeum*** (Illiger, 1801), INPN. = *Xestobium bicoloripenne* Pic, 1922. = *Xestobium circassicum* Pic, 1922. = *Xestobium ernobiformis* Reitter, 1901 = *Xestobium rufonotatum* Pic, 1923 = *Xestobium subaeneum* Reitter, 1897 = *Xestobium syriacum* Pic, 1897.

Anticlea Stephens, 1831. ; 1834a, p. 113. INPN. Lepidoptera, Geometridae.

Antithesia Stephens, 1829. = ***Apotomis*** Hübner, 1825. INPN. *Brachytaenia* Stephens, 1852. Genre. Lepidoptera, Tortricidae.

- *Anthobium* Stephens, in Mulsant, 1880a, p. 291. Genre. Coleoptera, Staphylinidae.

Anthobium assimile Stephens, 1834. = *Lathrimaeum roubali* Luze, 1911. = *Anthobium roubali* Luze, 1911. = ***Anthobium unicolor*** (Marsham, 1802). INPN. Coleoptera, Staphylinidae.

Anthobium brunneum Stephens, 1834b. = *Hapalaraea ioptera* (Stephens, 1834. = *Homalium iopterum* Stephens. = *Omalium iopterum* Stephens, 1834. = *Phyllodrepa ioptera* (Stephens, 1832). = *Phyllodrepa medioglabra* Roubal, 1933d. = ***Dropephylla ioptera*** (Stephens, 1834). INPN. Staphylinidae.

Aphtona atrocoerulea (Stephens, 1831). INPN. ; E. Allard, 1860a, p. 398. = *Haltica atrocaerulea* Stephens, 1831. = *Aphtona cyanella* (L. Redtenbacher, 1849). = *Haltica cyanella* L. Redtenbacher, 1849. = *Aphtona euphorbioe* Foudras. = *Teinodactyla lurida* E.Allard, 1860, p. 135. Coleoptera, Chrysomelidae

•*Aphtona hilaris* Kirby, Stephens.

Apion kirbii Stephens, 1831. = *Apion scutellare* W.Kirby, 1811 (in Perris, 1857a, p. 135). = *Apion Kirbyi* Germar, 1818. = ***Stenopterapion scutellare*** (Kirby, 1811). INPN. = *Apion ulicicola* Perris, 1840. Coleoptera, Brentidae.

Apocatops affinis Stephens, 1830. = *Apocatops caliginosus* Stephens, 1830. = *Catops affinis* Stephens, 1830a. = *Catops caliginosus* Stephens, 1830a. = ***Apocatops nigrita*** (Erichson, 1837). INPN. Coleoptera, Leiodidae.

Apocatops caliginosus Stephens, 1830.

Argutor Stephens, 1827. = *Pterostichus* Stephens, 1827. = *Steropus* Stephens, 1828. = *Pseudorites* Ganglbauer, 1891. = *Plectes* Fischer de Waldheim, 1821. = *Platyderus* Kirby, 1837. = *Ferinodius* Jeannel, 1942. = *Omaseidus* Jeannel, 1942. = *Pyreneorites* Jeannel, 1937. *Orites* Schaum, 1858. = *Micromaseus* Desbrochers, 1906. = *Devilleinus* Schatzmayr, 1943. = *Jeannelinus* Schatzmayr, 1943. = *Cheporus* Latreille, 1829. = *Badistrinus* Motschoulsky, 1865. = *Cheropus* Motschoulsky, 1850. = *Dasalus* Motschoulsky, 1850. = *Euryperis* Motschoulsky, 1850. = *Gonoderus* Motschoulsky, 1859. = *Eurypessus* Motschoulsky, 1850. = *Logarus* Motschoulsky, 1850. = *Luperopherus* Motschoulsky, 1869. = *Lyperosomus* Motschoulsky, 1850. = *Orthomus* Motschoulsky, 1850. = *Pledarus* Motschoulsky, 1865. = *Pseudocryobius* Motschoulsky, 1850. = *Pseudoomaseus* Motschoulsky, 1869. = *Ragadus* Motschoulsky, 1865. = *Rhagadus* Motschoulsky, 1865. = *Rhagodus* Motschoulsky, 1866. = *Steroderus* Motschoulsky, 1850. = *Aulacotarsus* Reiche, 1872. = *Arguta* Lucas, 1846. = *Adelopterus* Reitter, 1886. = *Adelopterus* Reitter, 1886. = *Agonodemus* Reitter, 1896. = *Haplomaseus* Reitter, 1896. = *Haptotapinus* Reitter, 1886. = *Eurymelanius* Reitter, 1896. = *Parasteropus* Reitter, 1908. = *Platypterinus* Reitter, 1908. = *Aëllö* Gozis, 1882. = *Phonias* Des Gozis, 1886. = *Aachnoideus* Chaudoir, 1838. = *Agonodemus* de Chaudoir, 1838. = *Bothriopterus* Chaudoir, 1838. = *Brachystylus* de Chaudoir, 1838. = *Brachystylus* de Chaudoir, 1838. = *Bryabius* de Chaudoir, 1838. = *Bryobius* de Chaudoir, 1838. = *Calopterus* Chaudoir, 1838. = *Coscinipterus* de Chaudoir, 1838. = *Cryobius* de Chaudoir, 1838. = *Dysidius* Chaudoir, 1838. = *Glyptopterus* de Chaudoir, 1838. = *Hammatomerus* de Chaudoir, 1868. = *Haplocoelus* Chaudoir, 1838. = *Haptoderus* de Chaudoir, 1838. = *Lagarus* Chaudoir, 1838. = *Lyperus* Chaudoir, 1838. = *Lyrothorax* de Chaudoir, 1838. = *Metallophilus*

- Chaudoir, 1838. = *Petrophilus* Chaudoir, 1838. = *Platypterus* Chaudoir, 1838. = *Pseudomaseus* Chaudoir, 1838. = *Pseudorthomus* Chaudoir, 1838. = *Pseudosteropus* Chaudoir, 1838. = *Psychobius* de Chaudoir, 1838. = ***Pterostichus*** Bonelli, 1810a. INPN. = *Melanius* Bonelli, 1810. = *Platysma* Bonelli, 1810. = *Oreophilus* Chaudoir, 1838. = Genre. Coleoptera, Carabidae.
- Astenus brunneus* Stephens, 1833.
- Astenus dimidiatus* Stephens, 1833.
- Astenus sulcicollis* Stephens, 1833. = ***Scopaeus sulcicollis*** (Stephens, 1833). INPN = *Scopaeus cognatus* Mulsant & Rey, 1855k, p. 180. Coleoptera, Staphylinidae.
- *Astynomus* Stephens, in Mulsant, 1963m, p. 287.
 - *Atemeles acuminata* Stephens, 1832. = *Lomechusa acuminata* Stephens, 1832.
- Atheta laticollis*** (Stephens, 1832). INPN. = *Aleochara fuscula* Stephens, 1832. = *Aleochara laticollis* Stephens, 1832. = *Homalota bicolor* Heer, 1839a. = *Homalota pedicularia* Heer, 1839a. = *Homalota sinuatocollis* Brisout de Barneville, 1863. Coleoptera, Staphylinidae.
- Atomaria*** Stephens, 1829b. INPN. = *Agathengis* Gozis, 1886. = *Anathilopus* Falcoz, 1921. Coleoptera, Cryptophagidae.
- Atomaria alpina*** Heer, 1841. INPN. = *Atomaria wollastoni* Reitter, 1887.
- Atomaria basella* Stephens, 1830. = *Atomaria fulvicollis* Stephens, 1830. = *Atomaria thoracica* Stephens, 1830. = *Anathilopus theryi* Falcoz, 1921. = *Atomaria dimidiatipennis* Mannerheim 1844a, p. 185. = ***Atomaria pusilla*** (Paykull, 1798). INPN. Coleoptera, Cryptophagidae.
- Atomaria linearis*** Stephens, 1830. (Atomaire de la betterave). INPN. = *Atomaria uhagoni* Reitter, 1876. = *Atomaria herminea* Reitter, 1875. = *Atomaria pygmaea* Heer, 1841. Coleoptera, Cryptophagidae.
- Autalia angusticollis* Stephens, 1832.
- Autalia aterrima* Stephens, 1832.
- Bactra*** Stephens, 1834a, p. 124. INPN.
- *Bembidium* Stephens, 1829, douteux selon Gbif. Genre. Coleoptera, Carabidae.
- Bembidium atrocoeruleum* Stephens, 1828. = *Ocydromus (Daniela) geniculatus* Heer, 1928. = ***Bembidion atrocaeruleum*** (Stephens, 1828). INPN. = *Ocydromus atrocaeruleus* (Stephens, 1828). = *Peryphus atrocaeruleus* Stephens, 1828. Coleoptera, Carabidae.
- Bembidion chalceum* (Stephens, 1828). = ***Bembidion (Metallina) properans*** (Stephens, 1828). INPN. = *Bembidion orichalcium* subsp. *homonym* (Stephens, 1828). = *Bembidion plumbeum* (Motschulsky, 1844). = *Bembidium orichalcium* (Stephens, 1828). = *Leja plumbea* Motschulsky, 1844. = *Metallina plumbea* (Motschulsky, 1844). = *Metallina properans* (Stephens, 1828). = *Tachypus chalceus* Stephens, 1828. = *Tachypus orichalcus* Stephens, 1828. = *Tachypus properans* Stephens, 1828.
- Bisnius*** Stephens, 1829a. INPN. Coleoptera, Staphylinidae.
- Bisnius fulvipes* Stephens, 1833a. = *Bisnius fuscicornis* Stephens, 1833a. = *Bisnius rotundiceps* Stephens, 1833a. = *Bisnius simplex* Stephens, 1833a. = ***Philonthus ventralis*** (Gravenhorst, 1802). INPN. *Quedius picicollis* Stephens, 1832. Staphylinidae.

Bolitobius angularis Stephens, 1832a. = *Bolitobius (Lordithon) dorsalis* Rey, 1883b, p. 214. = *Bolitobius discophorus* Rey, 1883c. = ***Lordithon trinotatus*** (Erichson, 1839). INPN. Coleoptera, Staphylinidae.

Bolitobius apicalis Stephens, 1832a. = *Bolitobius bimaculatus* Stephens, 1832a. = ***Lordithon exoletus*** (Erichson, 1839). INPN. Staphylinidae.

Bolitobius biguttatus Stephens, 1832, *Lordithon* [

Bolitobius bimaculatus Stephens, 1832, *Lordithon* [

Bolitobius brunnipennis Stephens, 1832, *Lordithon* [

Bolitobius discoideus Stephens, 1832. = *Lordithon*

Bradytus Stephens, 1827 (1828). = *Amarocelia* Motschoulsky, 1862. = ***Amara*** Bonelli, 1810a. INPN. = *Camptocelia* Jeannel, 1942. = *Harpalodema* Reitter, 1888. = *Isopleurus* Kirby, 1837. = *Linconus* Fischer von Waldheim, 1829m. = *Linomus* Fischer von Waldheim, 1829m. = *Omius* Fischer von Waldheim, 1829m. = *Paraleirides* St.-Claire Deville, 1906. Genre. Coleoptera, Carabidae.

• ***Bradytus crassus*** Stephens, 1839a, p. 39.

Bisnius Stephens, 1829a. INPN. Coleoptera, Staphylinidae.

Bolitobius angularis Stephens, 1832a. = *Bolitobius (Lordithon) dorsalis* Rey, 1883b, p. 214. = *Bolitobius discophorus* Rey, 1883c. = ***Lordithon trinotatus*** (Erichson, 1839). INPN. Coleoptera, Staphylinidae.

Cacicula Stephens, 1829. = ***Coccidula*** Kugelann, 1798. INPN. ; in Mulsant, 1850e, p. 1007. Genre. Coleoptera, Coccinellidae.

Calophasia Stephens, 1829, p. 93. INPN. Genre. Lepidoptera, Noctuidae.

• ***Calotaenia*** Stephens, 1829, p. 99. Douteux selon Gbif.

Camptylochila 1834a, p. 21. = ***Idia*** Hübner, 1813. INPN. Lepidoptera, Eribidae.

• ***Camptylochila undulalis*** Stephens, 1834a, p. 22. Douteux selon Gbif.

• ***Camptylochila bistrigalis*** Stephens, 1834a, p. 22.

Cantharis minimus Stephens, 1830. = ***Malthodes flavoguttatus*** Kiensenwetter, 1852, in Mulsant, 1963, p. 448. INPN. = *Malthinus nigricollis* L.Dufour, 1851. = *Malthodes nigricollis* (Dufour, 1851). = *Hapaloderus alpinus* Motschulsky, 1853. = *Malthodes alpinus* Mulsant, 1862. = *Malthodes inapicalis* Pic, 1910. = *Malthodes obscurimembris* Pic, 1933. Coleoptera, Cantharidae.

Capua Stephens, 1834a. INPN. Genre. Lepidoptera, Tortricidae.

Carcinops quatuordecimstriata (Stephens, 1835). = ***Carcinops pumilio*** (Erichson, 1834). INPN. = *Dendrophilus 14-striatus* Stephens, 1835. Coleoptera, Histeridae.

Carpalimus bilineatus Stephens, 1834. INPN. = ***Carpelimus (Paratrogophloeus) bilineatus*** (Stephens, 1834). = *Trogophloeus riparius* Boisduval & Lacordaire = *Trogophloeus fossulatus* Motschulsky, 1858. = *Trogophloeus suspectus* Mulsant & Rey, 1878. Coleoptera, Staphylinidae.

• ***Carpelimus affinis*** Stephens, 1834.

Carpelimus arcuatus (Stephens, 1834). = ***Thinodromus arcuatus*** (Stephens, 1834). INPN. = *Trogophloeus nigricornis* Mulsant & Rey, 1878. Staphylinidae.

Carpelimus atratus Stephens, 1834.

Carpelimus bicolon Stephens, 1834.

Carpelimus bilineatus Stephens, 1834.

Carpophilus Stephens, 1830a. = *Ecnomorphus* Motschoulsky, 1858. = *Megacarpolus* Reitter, 1919. Genre. Coleoptera, Nitidulidae.

Carpophilus biguttatus Motschulsky, 1858. **INPN**. Coleoptera, Nitidulidae.

Carpophilus pilosellus Motschulsky, 1858.

•*Catephia trifasciata* Stephens, 1829, p. 129.

Catops clavicornis Stephens, 1830.

Catops fornicatus Stephens, 1830.

Catops fulvicollis Stephens, 1833. = *Nargus*

Stephens, 1832, p. 401. ; 1835, **INPN**. ; in Rey, 1885b, p. 102. Coleoptera, Hydrophilidae.

•**Chaetocnema** Stephens, 1831.= *Hydropus* Motschulsky, 1860. = *Odontocnema* Stephens, 1831. = *Plectroscelis* Chevrolat, 1837. = *Plectroscelis* Foudras, 1859. = *Udorpes* Motschoulsky, 1845. = *Ydorpes* Motschoulsky, 1845. Genre. Coleoptera, chrysomelidae.

Celaena Stephens 1829 p. 15. = *Celaeno* Herrich-Schäffer, 1868. Genre. Lepidoptera, Noctuidae.

Ceranota Stephens, 1839 ; in Mulsant & Rey, 1875b, p. 27. = *Polystoma* Stephens, in Mulsant & Rey, 1875, p. 7. = *Coprochara* Mulsant & Rey, 1874. = *Dyschara* Mulsant & Rey, 1874. = *Heterochara* Mulsant & Rey, 1874. = *Homoeochara* Mulsant & Rey, 1874. = *Metalea* Mulsant & Rey, 1875. = *Polychara* Mulsant & Rey, 1874. *Rheochara* Mulsant & Rey, 1875. = *Xenochara* Mulsant & Rey, 1874. = **Aleochara** Gravenhorst, 1802. **INPN**. = *Euryodma* Reitter, 1909. = *Polycharina* Reitter, 1909. = *Polystomaria* Reitter, 1909. = *Mecorhopalus* Solier, 1849. Coleoptera, Staphylinidae.

Cerceris assimilis Stephens, 1829. = *Cerceris fulvipes* Stephens, 1829. = **Cerceris** Latreille, 1802. **INPN**. ; in E.Blanchard, 1845, p. 83. = *Cerceris kirbyensis* Engel, 1894. = *Cerceris varipes* Herrich-Schaeffer, 1840. Hymenoptera, Crabonidae.

Cercyon acutum Stephens, 1829c. = *Cercyon apicale* Stephens, 1829. = *Cercyon apicalis* Stephens, 1829 = *Cercyon aquaticus* Stephens, 1829. *Cercyon aquaticum* Stephens, 1829c. = **Cercyon analis** (Paykull, 1798). **INPN**. Coleoptera, Hydrophilidae.

Cercyon atriceps Stephens, 1829.

Cercyon bimaculatus Stephens, 1829.

Cercyon binotatus Stephens, 1829.

Cercyon contaminatum Stephens, 1829. = *Megasternum*

Cercyon convexior Stephens, 1829. = *Megasternum*

Cercyon convexius Stephens, 1829.

Cercyon convexiusculus Stephens, 1829.

Cercyon (*Ercycon*) **depressus** Stephens, 1829c. ; in Rey, 1855b, p. 322. **INPN**. = *Cercyon depressum* Stephens, 1829c. Coleoptera, Hydrophilidae.

Cercyon dilatatus Stephens, 1829.

Cercyon erythropus Stephens, 1829. = *Cercyon fuscescens* Stephens, 1829c. = *Cercyon stercorator* Stephens, 1829c. = **Cercyon pygmaeus** (Illiger, 1801). **INPN**. Hydrophilidae.

- *Cercyon femorale* Stephens, 1829c. = *Cercyon femoralis* Stephens, 1829c. = *Cercyon infuscatum* Stephens, 1829c. = *Cercyon suturale* Stephens, 1829c. = *Cercyon suturalis* Stephens, 1829c. = *Cercyon erythropterus* Mulsant, in Rey, 1885b, p. 331. = ***Cercyon haemorrhoidalis*** (Fabricius, 1775). INPN. Coleoptera, Hydrophilidae.
- Ceratopacha* Stephens, 1850. = *Ceropacha* Stephens, 1829, p. 51. = ***Tethea*** Ochsenheimer, 1816. Genre. Lepidoptera, Trepanidae.
- Cerylon ferrugineum*** Stephens, 1830. INPN. Coleoptera, Cerylonidae.
- *Cicindela apries* Stephens, 1829, p. 1.
- Chariclea* Stephens, 1829, p. 92. = ***Periphanes*** Hübner, 1821. INPN. Genre. Lepidoptera, Noctuidae.
- Chlaenius fulgidus* Stephens, 1839a, p. 24. = ***Chlaenius nigricornis*** (Fabricius, 1787). (Chlaenius à antennes noires). INPN. = *Chlaenius coeruleocephalus* Motschulsky, 1844. = *Chlaenius punctatus* Motschulsky, 1844. Coleoptera, Carabidae.
- Cledeobia* Stephens, 1829. ; 1834a, p. 20. = ***Synaphe*** Hübner, 1825. INPN. Genre. Lepidoptera, Pyralidae.
- *Cledeobia albistrigatus* Stephens, 1834a, p. 20.
- *Cledeobia costaetrigalis* Stephens, 1834a, p. 21.
- Leiodes aciculata* Stephens, 1829c. = *Colenis* Coleoptera, Leiodidae.
- Colymbetes pulverosus* Stephens, 1828 = *Rhantus pulverosus* (Stephens, 1828). = *Colymbetes montrouzieri* (Lucas). In Montrouzier, 1860d, p. 243. = *Colymbetes suturalis* W.S. MacLeay, 1825. = *Rhantus pulverosus* (Stephens, 1828). = ***Rhantus suturalis*** (W.S. MacLeay, 1825). INPN. Coleoptera, Dytiscidae.
- Conopalpus obscuriceps* Pic, 1925. = ***Conopalpus testaceus*** Olivier, in Mulsant, 1856y, p. 298. ; 1856ya, p. 106. INPN. = *Melyris testaceus* Olivier, 1790. = *Conopalpus thoracicus* Baudi, 1877. = *Conopalpus vigorsi* Stephens, 1832. ; in Mulsant, 1856y, p. 299. Coleoptera, Melandryidae.
- Conurus* Stephens, 1829a. ; in Rey, 1883b, p. 41. = ***Tachinus*** Gravenhorst, 1802. INPN. = *Tachinoderus* Motschoulsky, 1858. Coleoptera, Staphylinidae.
- Conurus flavipes* Stephens, 1832. = *Sepedophilus*
- *Conurus flavus* Stephens, 1832a. = *Tachyporus angustatus* Stephens, 1832a. = *Tachyporus basalis* Stephens, 1832a. = *Tachyporus brunneus* Stephens, 1832a. = *Tachyporus flavicornis* Stephens, 1832a. = *Tachyporus gracilis* Stephens, 1832a. = *Tachyporus libens* Stephens, 1832a. = *Tachyporus minimus* Stephens, 1832a. = *Tachyporus nitidus* Stephens, 1832a. = *Tachyporus pyrrhoceras* Stephens, 1832a. = *Tachyporus pyrrhopterus* Stephens, 1832a. = *Tachyporus thoracicus* Stephens, 1832a. = *Tachinus nitidulus* Olivier, in Boisduval 1835c, p. 517. = ***Palporus nitidulus*** (Fabricius, 1781). = *Tachyporus elegantulus* Reiche & Saulcy, 1856. = *Tachyporus crassicornis* Mannerheim, 1844. = *Tachyporus elegantulus* Reiche & Saulcy, 1856. = *Tachyporus scutellaris* Lacordaire, 1835. Coleoptera, Staphylinidae.
- Coryphium*** Stephens, 1834a, p. 344. ; in Mulsant, 1880a, p. 392. INPN. = *Harpognatus* Wesmael, 1833. Coleoptera, staphylinidae.

Coryphium angusticolle Stephens, 1834a. **INPN.** ; in Mulsant & Rey, 1880a, p. 395. = *Coryphium melanocephalum* Motschulsky, 1860c.

Creophilus ciliaris Stephens, 1832.

•***Curtonotus*** Stephens, 1827. ; 1839a, p. 39. Coleoptera, Carabidae.

Cypha agaricina Stephens, 1832a. = ***Cypha longicornis*** (Paykull, 1800). **INPN.** Coleoptera, Staphylinidae.

Cypha anisotomoides Stephens, 1832aa. = ***Cypha seminulum*** (Erichson, 1839). **INPN.** Staphylinidae.

Demetrias Latreille & Dejean, 1822. = *Demetrius* Redtenbacher, 1849 = ***Demetrias*** Bonelli, 1810. **INPN.** = *Demetrius* Motschoulsky, 1845, p. 55 ; 1864a, p. 230. = *Rhyzophilus* Stephens, 1829. Genre. Coleoptera, Carabidae.

Dendrophilus cooperi Stephens, 1830a. = ***Dendrophilus (Dendrophilus) punctatus*** subsp. ***punctatus*** (Herbst, 1792). **INPN.** = *Dendrophilus punctidorsus* Marseul, 1962. = *Hister sahlbergi* Marseul, 1863. Coleoptera, Histeridae.

Dendrophilus milleri Stephens, 1829a. = *Dendrophilus sheppardi* Stephens, 1829a. = *Dendrophilus formicetorum* Aubé, 1833. = *Hister formicetorum* Aubé, 1833a. = ***Dendrophilus pygmaeus*** (Linnaeus, 1758). **INPN.** = *Hister picipes* A.G.Olivier, 1789. Coleoptera, Histeridae.

Dicranomyia Stephens, 1829. **INPN.** = *Dohrnia* Bigot, 1854. = *Zelandoglochina* Alexander, 1924. Genre. Diptera, Limoniidae.

Dinoderus Stephens, 1830, p. 352. **INPN.** ; In Lesne, 1932, p. 3. Coleoptera,

•***Diplocheilus*** Stephens, 1840. = *Rembus* Latreille, 1817. = ***Diplocheila*** Brullé, 1835. = *Isorembus* Jeannel, 1949. Genre. Coleoptera, Carabidae.

Dircaea Stephen, 1832. = ***Marolia*** Mulsant, 1856. **INPN.** Genre. Coleoptera, Melandryidae.

Distomus Stephens, 1827. = *Ditomus* Solier, 1834. = *Odogenius* Solier, 1835. = ***Carterus*** Dejean, 1830. **INPN.** Genre. Coleoptera, Carabidae.

Ditula Stephens, 1829. ; 1834a, p. 82. Lepidoptera, Tortricidae.

•***Dolicharthria*** Stephens, 1834a, p. 55. = ***Stenia*** Guenée, 1845. GENRE ; Lepidoptera, Crambidae.

Dolichosoma Stephens, 1830, p. 320. *Illust. of Brit. Ent.*, III. **INPN.** ; In Mulsant & Rey, 1868j, p. 183 et 267. = *Linotoma motschulsky*, 1845. Coleoptera, Melyridae.

Dolichosoma lineare (Rossi) Stephens, p. 320. (Dasyte ficelle). **INPN.** = *Dolichosoma subdensatum* Mulsant & Rey, 1868. = *Dolichosoma submicaceum* Mulsant & Rey, 1868. Coleoptera, Melyridae.

Dromius notatus Stephens, 1827. = ***Philorhizus notatus*** (Stephens, 1827). **INPN.** Coleoptera, Carabidae.

Dyschirius arenosus Stephens, 1827. **INPN.** = *Dyschirius septentrionalis* Motschulsky, 1853, p. 17. = ***Dyschirius thoracicus*** (P.Rossi, 1790). = *Dyschirius lapponicus* Mannerheim, 1844. = *Dyschirius riparius* Mannerheim, 1844. Coleoptera, Carabidae.

Camacopalpus Motschulsky, 1858b. = ***Drusilla*** Leach, 1819. **INPN.** Genre. Coleoptera, Staphylinidae.

Earis Stephens, 1834. = ***Earias*** Hübner, 1825. Lepidoptera, Nolidae.

Elater pomonae Stephens, 1830. = ***Ampedus pomonae*** (Stephens, 1830). **INPN.**

Elater rufipennis Stephens, 1830. = ***Ampedus rufipennis*** (Stephens, 1830).
INPN.

Elmis fluviatilis Stephens, 1828. = *Limnius thermarius* Sainte-Claire Deville, 1919c. = *Oulimnius thermarius* (Sainte-Claire Deville, 1919). = ***Oulimnius troglodytes*** (Gyllenhal, 1827). INPN. Coleoptera, Elmidae.

Encephalus complicans Stephens, 1832.

Enicmus testaceus Stephens, in Belon, 1879, p. 336. INPN. = *Latridius testaceus* Stephens, 1830. = *Lathridius testaceus* Stephens, 1830. = *Lathridius cordaticollis* Aubé, 1850. Coleoptera, Latridiidae.

Enicocerus Stephens, 1829. INPN. Genre. Coleoptera, Hydraenidae.

Enicopus Stephens, 1830. INPN. = *Henicopus* Stephens, in Mulsant & Rey, 1868p, p. 29. ; 1868e, p. 265. = *Henicopus* Agassiz, 1846.

Enicopus longimanus Kiesenwetter, 1859. = *Henicopus longimanus* Kiesenwetter, 1859. = *Henicopus armatus* Lucas, 1868, p. 269. ; in Mulsant & Rey, 1868q, p. 33 ; 1868, p. 269. = ***Enicopus armatus*** (Lucas, 1846). INPN. = *Dasytes armatus* Lucas, 1846 ; 1849, p. 198. *Expl. Scient. Alg. Ins.*, I. Coleoptera, Dasytidae ou Melyridae.

• *Ennomos fuscantaria* Stephens, in Anonyme 2005, p. 62. Macrohétérocères (Lepidoptera) des Ardennes. *Bull. Soc. hist. Nat. Ardennes*, 84, 2004 : 62.

Eremobia Stephens, 1829, p. 94. Genre. Lepidoptera, Noctuidae.

Eryx Stephens, 1832a. ; in Mulsant, 1856ad, p. 61. = ***Prionychus*** Solier, 1835. INPN. Coleoptera, Tenebrionidae.

• ***Euphasia*** Stephens, 1829, p. 115. Douteux selon Gbif.

Eupithecia pulchellata Sepsens, 1831, p. INPN.

Euplexia Stephens, 1829, p. 3. INPN.

Euplectus minutus Stephens, 1832. = *Pselaphus signatus* Reichenbach, 1816a. = ***Euplectus signatus*** (Reichenbach, 1816). INPN. Coleoptera, Staphylinidae.

Euspilapteryx Stephens, 1835, p. 362. INPN. Lepidoptera, Gracillariidae.

Euspilapteryx auroguttella Stephens, 1835, p. 363. INPN.

• *Fabogethes nigrescens* (Stephens, 1830). = *Meligethes xanthoceros* Stephens, 1830. = *Meligethes xanthocerus* Stephens, 1830. = ***Meligethes nigrescens*** Stephens, 1830. = *Meligethes medium* Rey, 1889. = *Meligethes pallipes* Rey, 1889. = *Meligethes subsimilis* Rey, 1889. = *Meligethes saulcyi* Reitter, 1872. Coleoptera, Nitiludae.

Falagria confinis Stephens, 1832,

Falagria flavipes Stephens, 1832. = *Cordalia*

Falagria floralis Stephens, 1832. = *Cordalia*

Falagria thoracica Stephens, 1832a. = *Falagrioma thoracica* (Stephens, 1832. INPN. *Aleochara thoracica* Stephens, 1832. Coleoptera, Staphylinidae.

Megarthus flava Stephens, 1834. = *Metopsia* [

Gabrieus Stephens, 1829. INPN.

Gabrieus albipes Stephens, 1833a. = ***Gabrieus splendidulus*** (Gravenhorst, 1802). INPN. = *Philonthus analis* Heer, 1839. Coleoptera, Staphylinidae.

Gabrieus attenuatus Stephens, 1833.

Gabrieus basalis Stephens, 1833.

Gabrieus cinerascens Stephens, 1833. = *Neobisnius*

Geometridae Stephens, 1829, p. 142. Famille. Lepidoptera.

Goerius confinis Stephens, 1832. = *Ocypus*

Goërius kirbii Stephens, 1832. = *Staphylinus dvoraki* Roubal, 1940b. = *Staphylinus marani* Roubal, 1932e. = ***Tasgius melanarius*** subsp. ***melanarius*** (Heer, 1839). = *Ocypus saulcyi* Reiche, 1857. Coleoptera, Staphylinidae.

Gorytes Latreille, 1804a. **INPN.** ; in E. Blanchard, 1845, p. 82. = *Euzonia* Stephens, 1829. Hymenoptera, Crabonidae.

Grammoptera abdominalis (Stephens, 1831). (Lepturette discrète). **INPN.** = *Grammoptera femorata* Mulsant, 1863. = *Leptura analis* Herrich-Schäffer, 1832. Coleoptera, Cerambycidae.

Gyrophypnus angustus (Stephens). = ***Othius angustus*** Stephens, 1833a. = *Othius spec* Roubal, 1919. Staphylinidae.

Gyrophypnus apicalis Stephens, 1833a. = *Gyrophypnus quadrisulcus* Stephens, 1833. = *Gyrophypnus semistriatus* Stephens, 1833. = ***Leptacinus batychrus*** (Gyllenhal, 1827). **INPN.** Coleoptera, Staphylinidae.

Haltica atrocaerulea Stephens, 1831. = *Haltica cyanella* L. Redtenbacher, 1849. = ***Aphthona atracoerulea*** (Stephens, 1831). **INPN.** = *Aphthona cyanella* (L. Redtenbacher, 1849).

• *Haltica lurida* Olivier, p. 112. = *Teinodactyla lurida* E. Allard, 1860, p. 135.

Hama Stephens, 1829, p. 4. = ***Apamea*** Ochsenheimer, 1816. **INPN.** = *Syma* Stephens, 1850. Genre, Lepidoptera, Noctuidae.

Haplocnemus Stephens, 1830, p. 317. *Illustr. of Brit. Ent.*, III. ; In Mulsant & Rey, 1868q, p. 191 et 1868j, p. 107. **INPN.** Coleoptera, Dasytidae.

Harpalus atricornis Stephens, 1835. ; 1839a, p. 40. = ***Anisodactylus nemorivagus*** (Duftschmid, 1812). **INPN.** = *Anisodactylus atricornis* (Stephens, 1835). = *Anisodactylus binotatus* var. *atricornis* (Stephens, 1835). = *Anisodactylus nigricornis* (Stephens, 1835). = *Harpalus nigricornis* Stephens, 1835. ; 1839a, p. 44. Coleoptera, Carabidae.

Harpalus femoralis Stephens, 1828. ; 1839, p. 41. = ***Harpalus anxius*** (Duftschmid, 1812). **INPN.** = *Harpalus amicus* L. Dufour, 1843.

Harpalus picilabris Stephens, 1835. = ***Harpalus attenuatus*** Stephens, 1828. ; 1839a, p. 44. = *Harpalus latitibia* Rey, 1886. = *Harpalus intermedius* Desbrochers des Loges, 1865. Coleoptera, Carabidae.

Harpalus poeciloides Stephens, 1828. = ***Anisodactylus poeciloides*** (Stephens, 1828). **INPN.**

Harpalus punctiger Stephens, 1828. ; 1839a, p. 42. = *Harpalus nigrocoeruleus* Stephens, 1828. = *Harpalus chloropterus* Stephens, 1828. = *Harpalus potisii* Stephens, 1835. = *Harpalus punctiger* Stephens, 1828. = ***Harpalus rubripes*** (Duftschmid, 1812). **INPN.** = *Harpalus amoenus* Heer, 1837. = *Harpalus hyperboreus* Motschulsky, 1844a. = *Harpalus munganasti* Reitter, 1908. = *Harpalus nigrocoeruleus* Stephens, 1828.

Hemerophila Stephens, 1829, p. 189. = ***Menophra*** Moore, 1887. **INPN.** Genre. Lepidoptera, Geometridae.

Hesperiidae Stephens, 1828. Famille. Lepidoptera.

Hister caliginosus Stephens, 1830.

Hister castanipes Stephens, 1830. = *Margarinotus*

Hister marshami Stephens, 1829a. = *Hister magnini* Bettinger, 1922a. = ***Hister quadrimaculatus*** Linnaeus, 1758. (Hister à quatre tâches). INPN. = *Hister aethiops* Heer, 1841. = *Hister crassimargo* Gozis, 1886. = *Hister pelopis* Marseul, 1862. = *Hister reniformis* A.G.Olivier, 1789. = *Hister scapularis* Fischer de Waldheim, 1824. Coleoptera, Histeridae.

Homalium excavatum Stephens. = ***Omalius excavatum*** Stephens, 1834a. INPN. = *Omalius brachypterum* C.Koch, 1940. Staphylinidae.

•*Homalopia* Stephens. *L'Échange*, Revue Linnéenne, 9 (101): 54–57. Traduction par Guillebeau F. Genre.

Hydraechus Stephens, 1839a. = ***Hydrochara*** Berthold, 1827. INPN. = *Hydrocantharis* Motschulsky, 1853. Coleoptera, Hydrophilidae.

Hydraena fulvipes Stephens, 1835a. = ***Hydraena rufipes*** Curtis, 1830. INPN. = *Hydraena longior* Rey, 1885. Coleoptera, Hydraenidae.

Hydraena pusilla Stephens, 1829. = *Hydraena subimpressa* Rey, 1885c, p. 28. = ***Hydraena subimpressa*** Rey, 1885. INPN. = *Hydraena bisignata* Rey, 1886. = *Hydraena kiesenwetteri* Kuwert, 1888. Hydraenidae.

Hydrobius atricapillus Stephens, 1829, = *Enochrus*

Hydrobius colon Stephens, 1829. = *Laccobius*

Hydrobius chalconotus Stephens, 1829c. = *Hydrobius aestivus* Rey, 1885a. = ***Hydrobius fuscipes*** (Linnaeus, 1758). (Hydrophile noir strié). INPN. = *Hydrobius aeneus* Solier, 1834. = *Hydrobius arcadius* Brullé, 1832. = *Hydrobius marginata* Roubal, 1941. Coleoptera, Hydrophilidae.

Hydrobius lutescens Stephens, 1829c. = *Hydrobius sordens* Stephens, 1829b. = *Laccobius marshami* Stephens, 1839a. = ***Anacaena lutescens*** (Stephens, 1829). INPN. = *Brachypalpus ambiguus* Rey, 1885b, p. 69. = *Brachypalpus ambigua* Rey, 1885. = *Anacaena immatura* Abeille de Perrin, 1901. = *Anacaena nitida* (Heer, 1841). = *Hydrobius nitidus* Heer, 1841. Coleoptera, Hydrophilidae.

Hydrocampa Stephens, 1829a. = ***Elophila*** Hübner, 1822. INPN. Lepidoptera, Crambidae.

Hygrotus Stephens, 1828b. INPN. Genre. Coleoptera, Ditiscidae.

•***Hylurgus fuscescens*** Stephens, 1829. Coleoptera, Curculionidae.

•***Hylurgus piceus*** Stephens, 1830.

•***Hylurgus rufescens*** Stephens, 1830.

•***Hylurgus rufipes*** Stephens, 1835.

•*Hypocyphus* Stephens, 1829. = ***Cypha*** Leach, 1819. Genre. Coleoptera, Staphylinidae.

Hyria Stephens, 1829. = ***Idaea*** Treitschke, 1825. INPN. Lepidoptera, Geometridae.

•***Ischnomera*** Stephens, 1832. INPN. Coleoptera, Oedemeridae.

•***Ischnomera xanthoderes*** (Mulsant, 1858). INPN. = *Asclera xanthoderes* Mulsant, 1858. Coleoptera, Oedemeridae.

Ischnopoda Stephens, 1837. INPN. = *Cathusya* Mulsant & Rey, 1875. = *Caliusa* Mulsant & Rey, 1875. = *Tachysa* (*Cathusya*) Mulsant & Rey, 1873e, p. 38. Genre. Coleoptera, Staphylinidae.

Ischnosoma Stephens, 1829a. = *Myteroxis* Gozis, 1886.

Ischnosoma clavicornis Stephens, 1832. = *Mycetoporus*

Lasioderma Stephens, 1835a. INPN. = *Hypora* Mulsant & Rey, 1864. Coleoptera, Anobiidae.

Lathridius hirsutulus Stephens, 1829. = *Enicmus distincticollis* Roubal, 1933. = ***Latridius hirtus*** Gyllenhal, 1827. INPN. Coleoptera, Lathridiidae.

Lathrobium atriceps Stephens, 1833a. = ***Lathrobium (Lathrobium) fulvipenne*** (Gravenhorst, 1806). INPN. = *Lathrobium alpestre* Heer, 1839a. = *Lathrobium punctulatum* Mannerheim, 1830. Staphylinidae.

- *Lathrobium erythrocephalum* Stephens, 1833.
- *Lathrobium foveatum* Stephens, 1839.

Lathrobium fovulum Stephens, 1833a. INPN. = ***Lathrobium (Lathrobium) fovulum*** Stephens, 1833. Staphylinidae.

Leiodes aciculata Stephens, 1829e. = *Colenis aciculata* (Stephens, 1829). = ***Colenis immunda*** (Sturm, 1807). INPN. Coleoptera, Leiodidae.

Leiodes axillaris Stephens, 1829. = ***Anisotoma glabra*** (Fabricius, 1787). INPN. = *Volvoxis glabra* Fabricius, 1792. Coleoptera, Leiodidae.

Leiodes dyllwynii Stephens, 1835.

Leiodes maritima Stephens, 1835a. = *Leiodes spec* Stephens, 1832. = *Liodes subterranea* Roubal, 1927c. = ***Leiodes calcarata*** (Erichson, 1845). INPN. = *Leiodes bedeli* C.Brisout de Barneville, 1884. = *Anisotoma bedeli* Brisout de Barneville, 1884. = *Anisotoma flexuosa* Rey, 1889. = *Anisotoma geniculata* Mulsant & Rey, 1861. = *Anisotoma minima* Rey, 1889. = *Anisotoma picta* Reiche, 1862. = *Anisotoma succineum* L.Dufour, 1851. = *Liodes calcarifera* Reitter, 1884. Leiodidae.

Lepidotus Stephens, 1830. = ***Lacon*** Laporte, 1838. INPN. Genre. Coleoptera, Elateridae.

Lesteva canaliculatus Stephens, 1834. = *Geodromicus*

- ***Lesteva kirbii*** Stephens, 1834. Coleoptera, Staphylinidae.

Leucophasia Stephens, 1827. = ***Leptidea*** Billberg, 1820. INPN. Lepidoptera, Pieridae.

- *Limnebius affinis* Stephens, 1829.

Limnebius ater Stephens, 1829.

rugosa Stephens, 1829. = *Anisotoma rugosa* (Stephens). = *Leiodes arenaria* Stephens, 1835. = *Liodes angulicollis* Reitter, 1889. Coleoptera, Leioidae.

Longitarsus piciceps (Stephens, 1831). = *Longitarsus senecionis* Brisout de Barneville, 1873. = ***Longitarsus ganglbaueri*** Heikertinger, 1912 s. s tr. INPN. Coleoptera, Chrysomelidae.

Lophoderus Stephens, 1829. ; 1834a, p. 143. = ***Eulia*** Hübner, 1825. INPN. Lepidoptera, Tortricidae.

Lophoderus subfascianus Stephens, 1829, p. 184. ; 1834a, p. 144. = *Eulia subfascianus* Stephens, 1829, p. 184. = ***Eulia subfascianus*** Stephens, 1829.

Lozotaenia Stephens, 1829. INPN. ; 1834a, p. 69. Lepidoptera, Tortricidae.

- *Lozotaenia biustulana* Stephens, 1834a, p. 78. = ***Clepsis melaleucanus*** (Walker, 1863 = *Clepsis biustulana* (Stephens, 1834).

Lozotaenia grossulariana Stephens, 1829, p. 170. ; 1834a, p. 72. = ***Pandemis cerasana*** (Hübner, 1786, p.14). INPN. = *Pandemis grossulariana* Stephens, 1829. = *Tortrix ribeana* var. *grossulariana* Stephens, 1835, p. 72.

- ***Lozotaenia subocellana*** (Stephens, 1834, p. 75).

Maesia Stephens, 1829, p. 150. = ***Dyscia*** Hübner, 1825. **INPN.** = *Scodiona* Boisduval, 1840. Genre. Lepidoptera, Geometridae.

Malthinus nigricollis Stephens, 1830. = *Telephorus biguttatus* Olivier, 1790. = ***Malthodes marginatus*** (Latreille, 1806), in Mulsant, 1863, p. 446. **INPN.** = *Malthinus marginatus* Latreille, 1806. = *Malthodes constricta* Fiori, 1905.

Mantura Stephens, 1831. **INPN.** = *Balanomorpha* Chevrolat, 1837. = *Cardiapus* Curtis, 1833. ; Agassiz, 1846. = *Stenomantura* Heikertinger, 1910. Genre. Coleoptera, Chrysomelidae.

Margaritia Stephens, 1827. ; 1834a, p. 46. = ***Loxostege*** Hübner, 1825. **INPN.** Lepidoptera, Crambidae.

- *Margaritia centrostrigalis* Stephens, 1834a, p. 49.
- *Margaritia diversalis* Stephens, 1834a, p. 47.

Megacronus castaneus Stephens, 1832a. = ***Bolitobius castaneus*** (Stephens, 1832). **INPN.** Coleoptera, Staphylinidae.

Megacronus rufipennis Stephens, 1832a. = *Bryocharis pseudocingulatus* Reitter, 1909. = *Bryocharis cingulata* Mannerheim, in Rey, 1883b, p. 182. = ***Bolitobius cingulatus*** Mannerheim, 1830a. **INPN.** = *Megacronus cingulatus* (Mannerheim). Coleoptera, Staphylinidae.

- *Megarthus affinis* Stephens, 1834.

Medon Stephens, 1833. **INPN.** Coleoptera, Staphylinidae.

Medon molestus **INPN.** = *Meligethes asperrimus* Guillebeau, 1897. = *Meligethes borealis* Motschulsky, 1845. = *Meligethes foersteri* Reitter, 1871. = *Meligethes foveifrons* Reitter, 1871. Coleoptera, Nitulidae.

Megarthus Stephens, 1829a **INPN.** ; in Mulsant & Rey, p. 1878j, p. 232. Douteux gbif. Coleoptera, Staphylinidae.

Megarthus affinis Stephens, 1834. = *Megarthus rufescens* Stephens, 1834. = ***Megarthus denticollis*** (Beck, 1817). **INPN.** = *Omalium denticolle* Beck, 1817. = *Omalium denticollis* Beck, 1817. Coleoptera, Staphylinidae.

Megarthus emarginatus Stephens, 1834.

Megarthus flava Stephens, 1834. = *Metopsia*

Megarthus rufescens Stephens, 1834a. = ***Megarthus denticollis*** (Beck, 1817). **INPN.** ; in Mulsant & Rey, 1878j, p. 246. = *Omalium denticolle* Beck, 1817. Coleoptera, Staphylinidae.

Meligethes Stephens, 1830. **INPN.** = *Melygethes* Stephens, 1833. = *Odonthogethes* Reitter, 1871. Coleoptera, Nitidulidae.

Meligethes flavimanus Stephens, 1830. **INPN.** = *Meligethes asperrimus* Guillebeau, 1897. = *Meligethes borealis* Motschulsky, 1845. = *Meligethes foersteri* Reitter, 1871. = *Meligethes foveifrons* Reitter, 1871.

- ***Meligethes nigrescens*** Stephens, 1830. = *Fabogethes nigrescens* (Stephens, 1830). = *Meligethes xanthoceros* Stephens, 1830. = *Meligethes xanthocerus* Stephens, 1830. = *Meligethes medium* Rey, 1889. = *Meligethes pallipes* Rey, 1889. = *Meligethes subsimilis* Rey, 1889. = *Meligethes saulcyi* Reitter, 1872.

- ***Miana*** Stephens, 1829, p. 11. Genre. Lepidoptera, Noctuidae.

Mniophila Stephens, 1831, p. 289. **INPN.** Genre. Coleoptera, Chrysomelidae.

Nicrophorus anglicus Stephens, 1830.

Ochina Stephens, 1830, p. 342. *Illustr. of brit. Entom.*, III. ; Mulsant & Rey, 1866ad, p. 103. = *Cittobium* Mulsant & Rey, 1864. Genre. Coleoptera, Ptinidae.

Ochthebius aeneus Stephens, 1835a. **INPN.** = *Ochthebius fallax* Rey, 1886. Coleoptera, Hydraenidae.

Ochthebius aeratus Stephens, 1829c. = **Ochthebius nanus** Stephens, 1829. = *Ochthebius pellucidus* Mulsant, 1844. = *Ochthebius sexfoveolatus* Rey, 1886. = *Ochthobius 6-foveolatus* Rey, 1885. = *Ochthebius pyrenaicus* Fauvel, 1862. Hydraenidae.

Ochthebius dilatatus Stephens, 1829.

Ochtheophilum Stephens, 1829. **INPN.** = *Cryptobium* Mannerheim, 1830. In Boisdual, 193b, p. 427. Genre. Coleoptera, Staphylinidae.

Ochthobius (Cobalius) lejolisii Mulsant & Rey ; in Rey, 1885b, p. 215. **INPN.** Coleoptera, Hydraenidae.

- *Ochthobius (Asiobates) aeneus* Stephens, in Rey 1885b, p. 228. **INPN.**
- **Ochthobius (Asiobates) auriculatus** Rey, in Rey, 1885b, p. 233. **INPN.**
- *Ochthobius (Cobalius) subinteger* Mulsant & Rey, 1861. **INPN.** in Rey, 1885b, p. 217.
- *Ochthobius punctatus* Stephens, 1829, p. 117. ; in Rey, 1885b, p. 236.
- *Ocypus* Stephens, in Mulsant & Rey, 1877d, p. 130.

Ocypus angustatus Stephens, 1832aa. = *Goërius confinis* Stephens, 1832aa. = **Ocypus sericeicollis** (Ménétriés, 1832). **INPN.** = *Staphylinus metallicus* O. Costa, 1839. Staphylinidae.

Ocys Stephens, 1828. **INPN.** = *Ocys* Kirby, in Stephens 1839a, p. 53. = *Oreocys* Peyerimhoff, 1908. Genre. Coleoptera, Carabidae.

- *Ocys currens* (Stephens, 1828). = **Ocys quinquestriatus** subsp. **quinquestriatus** (Gyllenhal, 1810).

Odontocnema Stephens, 1831. = *Plectroscelis* Chevrolat, 1834. = **Chaetocnema** Stephens, 1831. **INPN.** = *Hydropus* Motschulsky, 1860. = *Plectroscelis* Foudras, 1859. = *Udorpes* Motschoulsky, 1845. = *Ydorpes* Motschoulsky, 1845. Genre. Coleoptera, Chrysomelidae.

- **Odontonyx** Stephens, 1827. = *Olisthopus* Dejean, 1828. = *Olistophus* Motschoulsky, 1850. Genre. Coleoptera, Carabidae.

Odontopera Stephens, 1829, p. 162. ; 1831. **INPN.** Genre. Lepidoptera, Geometridae

Oligota casei Stephens, 1839a. = **Oligota granaria** Erichson, 1837. **INPN.** = *Oligota latissima* Motschulsky, 1858. Coleoptera, Staphylinidae.

- *Oligota fuscipennis* Stephens, 1832.

Omalium primulae Stephens, 1834a. = *Omalium nigricolle* Stephens, 1834a. = **Eusphalerum primulae** (Stephens, 1834). **INPN.** = *Anthobium primulae* (Stephens, 1834). = *Omalium cribrosum* Heer, 1841. = *Omalium primulae* Stephens, 1834. Coleoptera, Staphylinidae.

Omalium brunnipennis Stephens, 1834. = *Omalium brunnipes* Stephens, 1834a. = *Omalium picinum* Stephens, 1834a. = *Xylodromus brunneipennis* (Stephens, 1832). = **Xylodromus concinnus** (Marsham, 1802). **INPN.** = *Homalium texanum* Fauvel, 1878. = *Xylodromus fuliginosum* Heer, 1839. Staphylinidae.

- Omalius foveolatus* Stephens, 1834. = *Phloeonomus*
- Oncoderus* Stephens, 1829. = ***Miscodera*** Eschscholtz, 1830. INPN. Genre. Coleoptera, Carabidae.
- *Ophonus laevicollis* Stephens, 1839a, p. 47.
- Ophonus nitidulus* Stephens, 1828. = ***Ophonus laticollis*** Mannerheim, 1825b, p. 25. INPN. = *Harpalus laticollis* (Mannerheim, 1825). = *Ophonus griseoides* Reitter, 1900. = *Harpalus griseoides* (Reitter, 1900). Coleoptera, Carabidae.
- Ophonus puncticeps*** Stephens, 1828.; 1839a, p. 47. INPN. = *Harpalus puncticeps* (Stephens, 1828). = *Metophonus puncticeps* (Stephens, 1828).
- Ophonus subpunctatus* Stephens, 1828.; 1839a, p. 47. = ***Ophonus rufibarbis*** (Fabricius, 1792). INPN. = *Harpalus subpunctatus* (Stephens, 1828). = *Ophonus subpunctatus* Stephens, 1828. = *Ophonus cribellum* Stephens, 1828. = *Ophonus parcepunctatus* Reitter, 1902c.
- Orthoperus atomos* Stephens, 1829. = *Orthoperus truncatus* Stephens, 1829. = ***Orthoperus nigrescens*** Stephens, 1829. INPN. = *Orthoperus coriaceus* Mulsant & Rey, 1861; 1862c, p. 116. Coleoptera, Corylophidae.
- Othius*** Stephens, 1829a. INPN. Coleoptera, Staphylinidae.
- Othius ater* Stephens, 1833. *Gyrophypnus*
- glabricornis* Stephens, 1833a. = *Baptolinus caucasicus* Roubal, 1933b. = ***Atrecus affinis*** (Paykull, 1789). INPN. = *Gyrophypnus nigriceps* Mannerheim, 1830. = *Othius dimidiatus* Motschulsky, 1860. = *Atrecus frigidus* Dufour, 1843. = *Xantholinus frigidus* L.Dufour, 1843. Coleoptera, Staphylinidae.
- Othius subuliformis*** Stephens, 1833. INPN. = *Othius myrmecophilus* Kiesenwetter, 1843b, p. 308. Coleoptera, Staphylinidae.
- Oxypoda difficilis* Roubal, 1931. = ***Oxypoda brachyptera*** (Stephens, 1832). INPN. = *Oxypoda forticornis* Fairmaire & Brisout de Barneville, 1859. Staphylinidae.
- Oxytelus angustatus* Stephens, 1834. = *Oxytelus flavipes* Stephens, 1834. = *Oxytelus ruficrus* Stephens, 1834a. = ***Anotylus nitidulus*** (Gravenhorst, 1802). INPN. = *Oxytelus borealis* Motschulsky, 1860. = *Oxytelus subnitidus* Reitter, 1909. = *Oxytelus asper* Mulsant & Rey, 1878. Coleoptera, Staphylinidae.
- Oxytelus antennatus* Stephens, 1834a. = ***Oxytelus sculptus*** Gravenhorst, 1806. INPN. = *Oxytelus longicornis* Mannerheim, 1830. Staphylinidae.
- Oxytelus consobrinus* Stephens, 1834.
- Oxytelus flavipes* Stephens, 1834. = *Anotylus*
- Paederus sanguinicollis* Stephens, 1833a. = *Paederidus longicornis* Aubé, 1850a. = *Paederus longicornis* Aubé, 1850. = ***Paederidus rubrothoracicus*** (Goeze, 1777). (Staphylin noir a corselet rouge). INPN. Coleoptera, Staphylinidae.
- Pericallia* Stephens, 1829, p. 171. = ***Apeira*** Gistel, 1848. Genre. Lepidoptera, Geometridae.
- Peronea substriana* Stephens, 1829, p. 185. = ***Acleris cristana*** (Denis & Schiffermüller) 1775, p. 129. INPN. = *Acleris albipunctana* Stephens, 1829, p. 185. = *Acleris albovittana* Stephens, 1829. = *Acleris*

- consimilana* Stephens, 1829, p. 185. = *Acleris fulvocristana* Stephens, 1829, p.185. = *Acleris fulvovittana* Stephens, 1829, p. 185. = *Acleris substriana* Stephens, 1829, p. 185. = *Acleris vittana* Stephens, 1829, p. 185. = *Peronea albipunctana* Stephens, 1834, p. 152. = *Peronea albovittana* Stephens, 1829.; 1834a, p. 151. = *Peronea brunneana* Stephens, 1829, p. 185.; 1834a, p. 149. = *Peronea consimilana* Stephens, 1829, p. 185.; 1834a, p. 150. = *Peronea fulvocristana* Stephens, 1829, p. 185. = *Peronea fulvovittana* Stephens, 1829.; 1834a, p. 151. = *Peronea subvittana* Stephens, 1834a, p. 152. = *Peronea vittana* Stephens, 1829, p. 185.; 1834a, p. 150. Lepidoptera, Tortricidae.
- Peryphus concinnus* Kirby (Stephens, 1828).; Stephens, 1839a, p. 54. = *Bembidion concinnum* Stephens, 1828. = ***Bembidion femoratum*** subsp. ***femoratum*** Sturm, 1825. INPN. = *Bembidion caucasicum* subsp. *homonym* (Motschulsky, 1850). = *Ocydromus concinnus* (Stephens, 1828). = *Peryphus caucasicus* Motschulsky, 1850. Coleoptera, Carabidae.
- Philochthus* Stephens, 1828, douteux selon GBIF. = *Philochtulus* Jeanne, 1970. Genre. Coleoptera, Carabidae.
- Philochtus* Stephens, 1829. = ***Bembidion*** Latreille, 1802a.; 1839a, p. 53. INPN. = *Bembicidium* Latreille, 1802. = *Actedium* Motschoulsky, 1864. = *Campa* Motschoulsky, 1844. = *Chloridium* Motschoulsky, 1868. = *Chlorodium* Motschoulsky, 1864. = *Eurytrachelus* Motschoulsky, 1864. = *Neja* Motschoulsky, 1864. = *Nepha* Motschoulsky, 1864. = *Omala* Motschoulsky, 1844. = *Phayla* Motschoulsky, 1845 = *Phila* Motschoulsky, 1850. = *Philochtus* Motschoulsky, 1850. = *Platytrachelus* Motschoulsky, 1844. = *Talanes* Motschoulsky, 1864. = *Testedium* Motschoulsky, 1864. = *Piocamoperyphus* Jeannel, 1962. = *Antiperyphanes* Jeannel, 1962. = *Antiperyphus* Jeannel, 1962. = *Austronotaphus* Jeannel, 1962. = *Chilioperyphus* Jeannel, 1962. = *Notaphidius* Jeannel, 1962. = *Notaphiellus* Jeannel, 1962. = *Nothocys* Jeannel, 1962. = *Notholopha* Jeannel, 1962. = *Nothonepha* Jeannel, 1962. = *Pacmophena* Jeannel, 1962. = *Peryphanes* Jeannel, 1941. = *Peryphiolus* Jeannel, 1941. = *Pseudotrepanes* Jeannel, 1962. = *Eudromus* Kirby, 1837. = *Euperyphus* Jeannel, 1941. Genre. Coleoptera, Carabidae.
- Philonthus*** Stephens, 1829a. INPN. Genre. Coleoptera, Staphylinidae.
- Philonthus aciculatus* Stephens, 1832a. = ***Philonthus sanguinolentus*** (Gravenhorst, 1802). INPN. Coleoptera, Staphylinidae.
- Philonthus aeratus* Stephens, 1832a. = *Staphylinus intermedius* Lacordaire, 1835. = ***Philonthus intermedius*** (Lacordaire, 1835). INPN. Staphylinidae.
- Philonthus chalceus* Stephens, 1832.
- Philonthus chalcopterus* Stephens, 1832.
- Philonthus intaminatus* Stephens, 1832a. = *Philonthus lituratus* Stephens, 1832a. = *Philonthus punctiventris* Stephens, 1832. = *Quedius unicolor* Stephens, 1832. = *Philonthus costatus* Baudi di Selve, 1848. = *Philonthus alpigradus* Mulsant & Rey, 1876. = *Quedius unicolor*

- Kiesenwetter, 1847. ; in Mulsant & Rey, 1877d, p. 553. = ***Philonthus varians*** (Paykull, 1789). **INPN**. Coleoptera, Staphylinidae.
- Philonthus cognatus* Stephens, 1832.
- Phloeophilus* Stephens, 1830, p. 81. *Illustr. of brit. Ent.*, III. ; In Mulsant & Rey, 1868j, p. 226 et 1868q, p. 310. = ***Phloiophilus*** Stephens, 1830. **INPN**.
- Phloeophilus edwardsi* Stephens, 1830, p. 81. *Illustr. Brit. Ent.*, III. ; in Mulsant & Rey, 1868j, p. 228 et 1868q, p. 312. = ***Phloiophilus edwardsi*** Stephens, 1830. **INPN**. Coleoptera, Ploiophilidae.
- Phloiotrya*** Stephens, 1832. **INPN**. ; 1856y, p. 268. ; 1856ya, p. 76. = *Serropalpimorpha* Pic, 1917. Genre. Coleoptera, Melandryidae.
- Phloiotrya rufipes* Stephens, 1832. = *Phloiotrya vaudoueri* Mulsant, 1856y, p. 271. ; 1856ya, p. 79. « Cette espèce habite diverses parties de la France, mais elle semble être partout. Elle paraît avoir été découverte dans les alentours de Nantes par M. Vandouer ou plutôt Vandrouer, à qui Latreille l'a dédiée ; elle a été prise dans les environs de Paris par M. Chevrolat ; dans ceux de Lyon, sur le charme, par MM. Cl. Rey et Guillebeau. ». = ***Phloiotrya tenuis*** (Hampe, 1850). **INPN**. Coleoptera, Melandryidae.
- Phylan*** Stephens, 1832. Douteux Gbif. **INPN**. = *Omocrates* Mulsant & Rey, 1854. = *Olocrates* Mulsant & Rey, 1854. = *Philax* Stephens, 1832. Coleoptera, Tenebrionidae.
- *Phylethus quadripustultus* Stephens, Mulsant, 1854a, p. 204.
 - *Phyllopertha* Stephens, 1830. **INPN**. Genre. Coleoptera, Scarabaeidae.
- Platyderus*** Stephens, 1827. = *Platyderes* Stephens, 1827. Genre. Coleoptera, Carabidae.
- Platynus* Stephens, 1827. = *Metallosomus* Motschoulsky, 1855a2, p. 12. = *Metalosomus* Motschoulsky, 1864 (1865a). = *Omiastus* Motschoulsky, 1865a. = ***Platynus*** Bonelli, 1810. **INPN**. = *Pleurasoma* Guérin-Ménéville, 1844. Genre. Coleoptera, Carabidae.
- Platystethus brunnipennis* Stephens, 1834,
- Platystethus caliginosus* Stephens, 1834,
- Platystethus foveatus* Stephens, 1834.
- Poecilus* Stephens, 1827. = ***Poecilus*** Bonelli, 1810. **INPN**. = *Derus* Motschoulsky, 1845. = *Parapoecilus* Jeannel, 1942. = *Sogines* Stephens, 1827. Coleoptera, Carabidae.
- Pompilus binotatus* Stephens, 1829. = ***Agenioideus cinctellus*** (Spinola, 1808). **INPN**. = *Agenioideus cinctellus* subsp. *cinctellus* (Spinola, 1808). = *Anoplius cinctellus* (Spinola, 1808). = *Aporoideus cinctellus* (Spinola, 1808). = *Pompilus cinctellus* Spinola, 1808. = *Pompilus tibialis* Klug, 1834. = *Psammochares cinctellus* (Spinola, 1808). Hymenoptera, Pompilidae.
- Prosoptiona spencii* Stephens, 1828. = *Potamaria hyalinum* Stephens, 1836. = *Potamaria assimilis* Stephens, 1836. = *Sericostoma pyrenaicum* Pictet, 1865. = ***Sericostoma personatum*** (Kirby & Spence, 1826). **INPN**. = *Sericostoma collare* Pictet, 1834 in Hagen, 1860, p. 746. = *Sericostoma multiguttatum* Pictet, 1834. = *Phryganea personata* Kirby & Spence, 1826, p. 489. Trichoptera, Sericostomatidae.
- Proteinus clavicornis* Stephens, 1834.
- Psen*** Latreille, 1796. **INPN**. = *Psenia* Stephens, 1829. Hymenoptera, Crabidae.

Pseudotomia obscurana Stephens, 1834a, 98. = ***Pammene obscurana*** (Stephens, 1834). **INPN.** = *Eucosma obscurana* (Stephens, 1834). Lepidoptera, Tortricidae.

Ptomaphagus davisii Stephens, 1830.

Encelis Stephens, 1834, p. 105. = *Pseudotomia* Stephens, 1829, p. 175. = *Halonota* Stephens, 1852, p. 45. = *Hemerosia* Stephens, 1852, p. 60. = *Heusimene* Stephens, 1834, p. 96. = ***Pammene*** Hübner, 1825. **INPN.** Genre. Lepidoptera, Tortricidae.

Quedius Stephens, 1829a. **INPN.** ; in Mulsant & Rey, 1877d, p. 469. = *Ediquus* Mulsant & Rey, 1876. = *Ediquus* Reitter, 1887. = *Euryquedius* Reitter, 1909. = *Microquedius* Coiffait, 1967. = *Quediops* Coiffait, 1963. = *Quediopsis* Portevin, 1929. = *Sauridus* Mulsant & Rey, 1876. = *Tenebriobius* Rambousek, 1915. Genre. Coleoptera, Staphylinidae.

Quedius analis Stephens, 1835a. = *Quedius erythropterus* Stephens, 1832. = *Quedius haemorrhous* Stephens, 1832. = *Staphylinus cruentus* A.G.Olivier, 1795a. = ***Quedius cruentus*** (A.G.Olivier, 1795). **INPN.** Coleoptera, Staphylinidae.

Quedius atriceps Stephens, 1832.

Quedius atripennis Stephens, 1835.

Quedius castanopterus Stephens, 1832. = *Philonthus*

Quedius denudatus Stephens, 1832. = *Quedius lathburii* Stephens, 1832. = *Quedius picipennis* (Stephens, 1833). = *Raphirus picipennis* Stephens, 1833. = *Quedius (Microsaurus) maculicornis* Mulsant & Rey, 1876. ; 1877d, p. 550. = ***Quedius molochinus*** (Gravenhorst, 1806). **INPN.** Coleoptera, Staphylinidae.

Quedius dorsalis Stephens, 1835.

Quedius erythropterus Stephens, 1832.

Quedius gracilis Stephens, 1832a. = *Quedius picicornis* Stephens, 1832a. = *Quedius molochinicolor* Roubal, 1931c. = ***Quedius (Quedius) fuliginosus*** (Gravenhorst, 1802). **INPN.** = *Quedius granulipennis* Motschulsky, 1858. Staphylinidae.

Quedius lepidulus Stephens, 1832. = *Philonthus emelinae* Coiffait & Sáiz, 1968a. = *Quedius suturalis* Kiesenwetter, 1832. ; 1845 ; in Mulsant & Rey, 1877d, p. 588. = ***Philonthus discoideus*** (Gravenhorst, 1802). **INPN.** Coleoptera, Staphylinidae.

Quedius seminitidus Stephens, 1832. = *Staphylinus picipes* Mannerheim, 1830. = ***Quedius picipes*** Mannerheim, in Mulsant & Rey, 1877d, p. 560. **INPN.** = *Philonthus gracilicornis* Heer, 1839. = *Quedius provincialis* Mulsant & Rey, 1876. = *Quedius pyrrhopus* Stephens, 1832. Coleoptera, Staphylinidae.

Raphirus fulvicollis Stephens, 1833a. = ***Quedius fulvicollis*** (Stephens, 1833a). **INPN.** = *Quedius (Raphirus) picipennis* Heer, in Mulsant & Rey, 1877d, p. 646. = *Philonthus picipennis* Heer, 1839.

Raphirus fumatus Stephens, 1833a. = ***Quedius fumatus*** (Stephens, 1833). **INPN.** = *Quedius* Coleoptera, Staphylinidae.

Rhizobius Stephens, 1832, in Mulsant, 1846a, p. 261. ; 1850e, p. 1002. = ***Rhyzobius*** Stephens, 1829, 1832. **INPN.** = *Nundina* Redtenbacher, 1843. Genre. Coleoptera, Coccinellidae.

Rhizopertha Stephens, 1830, p. 351. In Lesne, 1932, p. 2. = ***Rhyzopertha*** Stephens, 1830. **INPN.** = *Rhizopertha* Guérin-Méneville, 1845 Genre. Coleoptera, Bostrichidae.

Roxana Stephens, 1834a, p. 118. = ***Olethreutes*** Hübner, 1822. **INPN.** Lepidoptera, Tortricidae.

Scotophila Stephens, 1829, p. 18. = ***Lycophotia*** Hübner, 1821. **INPN.** Genre. Lepidoptera, Noctuidae.

Scydmaenus dennii Stephens, 1832. = *Euconnus*

Selania Stephens, 1834a, p. 121. **INPN.** Lepidoptera, Tortricidae.

• *Selania fulvana* Stephens, 1834a, p. 123.

Selania rufana Stephens, 1834a, p. 124.

Senta Stephens, 1834, p. 597. **INPN.** Genre. Lepidoptera, Noctuidae.

Scopelopus Stephens, 1829, p. 124. = ***Hemeroplanis*** Hübner, 1818. **INPN.** Genre. Lepidoptera, Erebidae.

Sphaeridium daltoni Stephens, 1829.

Sphaeriestes Stephens, 1829a. **INPN.** = *Salpingellus* Reitter, 1911. Genre. Coleoptera, Salpingidae.

Spilonota Stephens, 1834a, p. 90. **INPN.** Lepidoptera, Tortricidae.

Spilonota argyrana Stephens, 1829.; 1834a, p. 95. = ***Epiblema costipunctana*** (Haworth, 1811). **INPN.** = *Epiblema argyrana* (Stephens, 1829). = *Epiblema trigeminana* Stephens, 1829, p. 174. = *Spilonota trigeminana* Stephens, 1829. = *Epiblema confusana* (Herrich-Schäffer, 1856). = *Spilonota argyrana* Stephens, 1829. = *Epiblema ravulana* Herrich-Schäffer, 1847. = *Notocelia confusana* (Herrich-Schäffer, 1856). = *Paedisca confusana* Herrich-Schäffer, 1856. = *Tortrix confusana* Herrich-Schäffer, 1856. = *Tortrix ravulana* Herrich-Schäffer, 1851. Lepidoptera, tortricidae.

• *Spilonota quadrana* Stephens, 1834a, p. 95.

Spilonota tetragonana Stephens, 1834a, p. 96. = ***Notocelia tetragonana*** (Stephens, 1834). **INPN.** = *Grapholitha tetragonana* (Stephens, 1834).

Staphylinus aericeps Stephens, 1832a. = ***Platydacus latebricola*** (Gravenhorst, 1806). **INPN.** = *Staphylinus rupicola* Kiesenwetter, 1850. Coleoptera, Staphylinidae.

Staphylinus cantianus Stephens, 1832. = *Ocypus*

Staphylinus metallicus O. Costa, 1839. = *Ocypus angustatus* Stephens, 1832aa. = *Goërius confinis* Stephens, 1832aa. = ***Ocypus sericeicollis*** (Ménétriés, 1832). **INPN.** Staphylinidae.

Staphylinus rubripennis Stephens, 1832. = *Quedius castanopterus* Stephens, 1832. = ***Philonthus rubripennis*** Kiesenwetter, 1832. **INPN.** ; in Mulsant & Rey, 1877d, p. 368. = *Paragabrius rubripennis* (Stephens, 1832). = *Philonthus obscuripes* Brisout de Barneville, 1863. Coleoptera, Staphylinidae.

Steganoptycha Stephens, 1829. = ***Epinotia*** Hübner, 1825. **INPN.** = *Lithographia* Stephens, 1852, p. 32. = *Steganoptera* Herrich-Schäffer, 1851. Genre. Lepidoptera, Tortricidae.

• *Stenolophus sckrimshiranus* Stephens, 1839a, p. 48.

Stenus aceris Stephens, 1833a. **INPN.** Coleoptera, Staphylinidae.

Stenus affinis Stephens, 1833a. = ***Stenus canaliculatus*** Gyllenhal, 1827. **INPN.** Staphylinidae.

Stenus angustatus Stephens, 1833a. = ***Stenus (Stenus) boops*** subsp. ***boops*** Ljungh, 1810. INPN. = *Stenus sulcatulus* Mulsant & Rey, 1870. Staphylinidae.

Stenus argyrostoma Stephens, 1833a. = *Stenus curvipes* Stephens, 1833a. = ***Stenus fuscipes*** Gravenhorst, 1802. INPN. = *Stenus cariniger* Motschulsky, 1858.

Motschulsky, V. (1858) Énumération des nouvelles espèces de Coléoptères rapportés de ses voyages. 2-d. Article. Bulletin de la Société Impériale des Naturalistes de Moscou, 30 (4).

Stenus assimilis Stephens, 1833.

Stenus atricornis Stephens, 1833a. = *Stenus canaliculatus* Stephens, 1833. = *Stenus nigricornis* Stephens, 1833a. = *Stenus punctatissimus* Stephens, 1833a. = *Stenus speculator* Boisduval & Lacordaire, 1835a. = ***Stenus clavicornis*** (Scopoli, 1763). (Staphylin à antennes en demi massues). INPN. = *Stenus kamtschaticus* Motschulsky, 1845. Staphylinidae.

Stenus bimaculosus Stephens, 1839.

Stenus binotatus Stephens, 1833.

Stenus bipunctatus Stephens, 1833.

Stenus bipustulatus Stephens, 1833.

Stenus brunnipes Stephens, 1833.

Stenus canaliculatus Stephens, 1833.

Stenus cognatus Stephens, 1833.

Stenus crassus Stephens, 1833.

Stenus curvipes Stephens, 1833.

Stenus flavipes Stephens, 1833.

Stenus flavitarsis Stephens, 1833.

Stenus fornicatus Stephens, 1833.

• ***Stenus fulvicornis*** Stephens, 1833a. Staphylinidae.

• ***Stenus fulvicornis*** subsp. ***fulvicornis*** Stephens, 1833. = *Stenus similis* Stephens, 1833a. Staphylinidae.

Stilbia Stephens, 1829, p. 124. INPN. Lepidoptera, Noctuidae.

Syncalypta Stephens. *Illustr. of Brit. Entom.*, III, p. 133. ; in Mulsant & Rey 1869d, p. 233. = *Syncalypta* Dillwyn, 1829 = ***Chaetophora*** Kirby & Spence, 1817. INPN. = *Chaetophorus* Kirby & Spence, 1828. Genre. Coleoptera, Byrrhidae.

Tachinus angularis Stephens, 1832a. = ***Sepedophilus littoreus*** (Linnaeus, 1758). INPN. Coleoptera, Staphylinidae.

Tachinus apicalis Stephens, 1832a. = *Tachinus fulvipes* Stephens, 1832a. = ***Tachinus rufipes*** (Linnaeus, 1758). (Staphylin noir à corselet lisse & bordé). INPN.

Tachinus aterrimus Stephens, 1832.

Tachinus brunnipennis Stephens, 1832.

Tachinus fulvipes Stephens, 1832aa. = *Tachinus apicalis* Stephens, 1832aa. = ***Tachinus rufipes*** (Linnaeus, 1758). (Staphylin noir à corselet lisse & bordé). INPN. Staphylinidae.

Tachyporus apicalis Stephens, 1832a. = *Tachyporus collaris* Stephens, 1832a. = *Tachyporus erythropterus* Stephens, 1832a. = *Tachyporus flavescens* Stephens, 1832a. = *Tachyporus putridus* Stephens, 1832a. = ***Tachyporus hypnorum*** (Fabricius, 1775). INPN. = *Tachyporus*

- meridionalis* Fairmaire & Brisout de Barneville, 1859. = *Tachyporus nigriceps* Mannerheim, 1830. Staphylinidae.
- Tachyporus angustatus* Stephens, 1832aa. = *Cornurus flavus* = ***Palporus nitidulus*** (Fabricius, 1781). Staphylinidae.
- Tachyporus atriceps* Stephens, 1832.
- Tachyporus basalis* Stephens, 1832.
- Tachyporus brunneus* Stephens, 1832,
- Tachyporus collaris* Stephens, 1832.
- Tachyporus diffinis* Stephens, 1832. = *Myllaena*
- Tachyporus dimidiatus* Stephens, 1832.
- Tachyporus erythropterus* Stephens, 1832.
- Tachyporus flavescens* Stephens, 1832.
- Tachyporus flavicornis* Stephens, 1832.
- binotatus* Stephens, 1828. ; 1839a, p. 52. = ***Bembidion (Philochthus) guttula*** (Fabricius, 1792). INPN. = *Bembidion binotatum* (Stephens, 1828). = *Bembidion bipustulatum* L.Redtenbacher, 1847. = *Bembidion haemorrhoum* (Stephens, 1828). = *Bembidion vittatum* (Stephens, 1828). ; 1839a, p. 52. = *Philochthus haemorrhous* Stephens, 1828. = *Tachys vittatus* Stephens, 1828. Coleoptera, Carabidae.
- Tachys immunis* Stephens, 1828. ; 1839a, p. 52. = ***Bembidion (Phyla) obtusum*** Audinet-Serville, 1821. INPN. = *Bembidion immune* subsp. *homonym* (Stephens, 1828). = *Tachys gracilis* Stephens, 1828. ; 1839a, p. 52. = *Tachys pusillus* Stephens, 1828.
- Tachys (Tachys) scutellaris*** Stephens, 1828. INPN. ; 1839a, p. 52. Coleoptera, Carabidae.
- *Theobaldia (C.) fumipennis* Stephens, 1825.
- Trechus nitidus* Stephens, 1835. = ***Acupalpus (Acupalpus) luteatus*** (Duftschmid, 1812). INPN.= *Acupalpus flavicollis* subsp. *homonym* Stephens, 1828. = *Acupalpus nitidus* (Stephens, 1835). Coleopera, Carabidae.
- Trechus ruficollis* Stephens, 1828. ; 1839a, p. 48. = ***Bradycellus (Bradycellus) ruficollis*** (Stephens, 1828). INPN. = *Anthracus littoreus* Jacquet, 1936. = *Bradycellus littoreus* (Jacquet, 1936).
- *Trichoderma* Stephens, in Motsch., 1857a5, p. 51.
 - *Trimorphus* Stephens, 1828b. ; 1839a, p. 23. Genre. Coleoptera, Carabidae.
- Trimorphus confinis* Stephens, 1828b. = *Trimorphus scapularis* Stephens, 1828. = *Badister confinis* (Stephens, 1828). = *Badister scapularis* (Stephens, 1828). = *Badister humeralis* Bonelli, 1813. = ***Badister sodalis*** (Duftschmid, 1812). INPN. Coleoptera, Carabidae.
- Trimorphus scapularis* Stephens, 1828a. = ***Badister sodalis*** (Duftschmid, 1812). INPN. = *Badister humeralis* Bonelli, 1813a = *Badister scapularis* (Stephens, 1828). = *Trimorphus scapularis* Stephens, 1828.
- Xantholinus angustatus* (Stephens, 1833). = ***Gyrohypnus angustatus*** Stephens, 1833a. INPN. = *Xantholinus nitidicollis* Reitter, 1908. Coleoptera, Staylinidae.
- Xylotrogus brunneus* Stephens, 1830. = ***Lyctus brunneus*** Stephens, 1830, p. 117. INPN. ; In Lesne, 1932, p. 5. = *Lyctus rugulosus* Montrouzier, 1861, p. 266. Coleoptera, Bostrichidae.

Taxons dédiés

Bembidium affine Stephens, 1835. = ***Bembidion stephensii*** Crotch, 1866.
INPN. = *Peryphus affinis* Stephens, 1835. = *Ocydromus stephensii* (Crotch, 1866). = *Peryphus stephensii* (Crotch, 1866); coleoptera, Carabidae.

• *Cetonia stephens* Gory & Percheron, 1833. = ***Celidota stephensi*** (Gory & Percheron, 1833). Coleoptera, Scarabaeidae.

Cnephasia stephensiana (Doubleday, 1850). **INPN.** = *Eudemis sinuana* Stephens, 1834. = *Sciaphila stephensiana* Doubleday, 1849. Lepidoptera, Tortricidae.

• *Eremophthirius stephensi* = ***Polyplax Stephensi*** (Christophers & Newstead, 1906). = *Haematopinus stephensi* Christophers & Newstead, 1906. Psocodea, Polyplacidae.

• ***Euploea stephensii*** C.Felder & R.Felder. Lepidoptera, Nymphalidae

• ***Euploea stephensii*** subsp. ***stephensii***

Stephensia Stainton, 1858. **INPN.** Genre, Lepidoptera, Elachistidae.

Stephensia Robineau-Desvoidy, 1863. = ***Microsoma*** Macquart, 1855. **INPN.** Diptera, Tachinidae